

# Hospital Equity Measures Report

## General Information

Report Type:	Hospital Equity Measures Report
Year:	2024
Hospital Name:	SUTTER SOLANO MEDICAL CENTER
Facility Type:	General Acute Care Hospital
Hospital HCAI ID:	106481094
Report Period:	1/1/2024 - 12/31/2024
Status:	Complete
Due Date:	11/29/2025
Last Updated:	01/28/2026
Hospital Location with Clean Water and Air:	Y
Hospital Web Address for Equity Report:	<a href="https://www.sutterhealth.org/ssmc-equity-report">https://www.sutterhealth.org/ssmc-equity-report</a>

## Overview

Assembly Bill No. 1204 requires the Department of Health Care Access and Information (HCAI) to develop and administer a Hospital Equity Measures Reporting Program to collect and post summaries of key hospital performance and patient outcome data regarding sociodemographic information, including but not limited to age, sex, race/ethnicity, payor type, language, disability status, and sexual orientation and gender identity.

Hospitals (general acute, children's, and acute psychiatric) and hospital systems are required to annually submit their reports to HCAI. These reports contain summaries of each measure, the top 10 disparities, and the equity plans to address the identified disparities. HCAI is required to maintain a link on the HCAI website that provides access to the content of hospital equity measures reports and equity plans to the public. All submitted hospitals are required to post their reports on their websites, as well.

## Laws and Regulations

For more information on Assembly Bill No. 1204, please visit the following link by copying and pasting the URL into your web browser:

[https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill\\_id=202120220AB1204](https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=202120220AB1204)

## Hospital Equity Measures

### Joint Commission Accreditation

General acute care hospitals are required to report three structural measures based on the Commission Accreditation's Health Care Disparities Reduction and Patient-Centered Communication Accreditation Standards. For more information on these measures, please visit the following link by copying and pasting the URL into your web browser:

<https://www.jointcommission.org/standards/r3-report/r3-report-issue-36-new-requirements-to-reduce-health-care-disparities/>

The first two structural measures are scored as "yes" or "no"; the third structural measure comprises the percentages of patients by five categories of preferred languages spoken, in addition to one other/unknown language category.

Designate an individual to lead hospital health equity activities (Y = Yes, N = No).

Y

Provide documentation of policy prohibiting discrimination (Y = Yes, N = No).

Y

Number of patients that were asked their preferred language, five defined categories and one other/unknown languages category.

28257

Table 1. Summary of preferred languages reported by patients.

Languages	Number of patients who report preferring language	Total number of patients	Percentage of total patients who report preferring language (%)
English Language	22050	28257	78
Spanish Language	4811	28257	17
Asian Pacific Islander Languages	925	28257	3.3
Middle Eastern Languages	Suppressed	28257	Suppressed
American Sign Language	Suppressed	28257	Suppressed
Other Languages	368	28257	1.3

## Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure

There are five domains that make up the CMS Hospital Commitment to HCHE measures. Each domain is scored as "yes" or "no." In order to score "yes," a general acute care hospital is required to confirm all the domain's attestations. Lack of one or more of the attestations results in a score of "no." For more information on the CMS Hospital Commitment to HCHE measures, please visit the following link by copying and pasting the URL into your web browser:

<https://data.cms.gov/provider-data/topics/hospitals/health-equity>

### Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure Domain 1: Strategic Planning (Yes/No)

- Our hospital strategic plan identifies priority populations who currently experience health disparities.
- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital strategic plan outlines specific resources that have been dedicated to achieving our equity goals.
- Our hospital strategic plan describes our approach for engaging key stakeholders, such as community-based organizations.

Y

### CMS HCHE Measure Domain 2: Data Collection (Yes/No)

- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital has training for staff in culturally sensitive collection of demographics and/or social determinant of health information.

- Our hospital inputs demographic and/or social determinant of health information collected from patients into structured, interoperable data elements using a certified electronic health record (EHR) technology.

Y

#### CMS HCHE Measure Domain 3: Data Analysis (Yes/No)

- Our hospital stratifies key performance indicators by demographic and/or social determinants of health variables to identify equity gaps and includes this information in hospital performance dashboards.

Y

#### CMS HCHE Measure Domain 4: Quality Improvement (Yes/No)

- Our hospital participates in local, regional or national quality improvement activities focused on reducing health disparities.

Y

#### CMS HCHE Measure Domain 5: Leadership Engagement (Yes/No)

- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually reviews our strategic plan for achieving health equity.
- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually review key performance indicators stratified by demographic and/or social factors.

Y

### **Centers for Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH)**

General acute care hospitals are required to report on rates of screenings and intervention rates among patients above 18 years old for five health related social needs (HRSN), which are food insecurity, housing instability, transportation problems, utility difficulties, and interpersonal safety. These rates are reported separately as being screened as positive for any of the five HRSNs, positive for each individual HRSN, and the intervention rate for each positively screened HRSN. For more information on the CMS SDOH, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cms.gov/priorities/innovation/key-concepts/social-drivers-health-and-health-related-social-needs>

Number of patients admitted to an inpatient hospital stay who are 18 years or older on the date of admission and are screened for all of the five HRSN

1257

Total number of patients who are admitted to a hospital inpatient stay and who are 18 years or older on the date of admission

2029

Rate of patients admitted for an inpatient hospital stay who are 18 years or older on the date of admission, were screened for an HRSN, and who screened positive for one or more of the HRSNs

62

Table 2. Positive screening rates and intervention rates for the five Health Related Social Needs of the Centers of Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH).

<b>Social Driver of Health</b>	<b>Number of positive screenings</b>	<b>Rate of positive screenings (%)</b>	<b>Number of positive screenings who received intervention</b>	<b>Rate of positive screenings who received intervention (%)</b>
<b>Food Insecurity</b>	114	9.1	55	4.4
<b>Housing Instability</b>	95	7.6	49	3.9
<b>Transportation Problems</b>	124	9.9	66	5.3
<b>Utility Difficulties</b>	181	14.4	91	7.2
<b>Interpersonal Safety</b>	14	1.1	Suppressed	Suppressed

## Core Quality Measures for General Acute Care Hospitals

There are two quality measures from the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey. For more information on the HCAHPS survey, please visit the following link by copying and pasting the URL into your web browser:

<https://hcahpsonline.org/en/survey-instruments/>

## Patient Recommends Hospital

The first HCAHPS quality measure is the percentage of patients who would recommend the hospital to friends and family. For this measure, general acute care hospitals provide the percentage of patient respondents who responded "probably yes" or "definitely yes" to whether they would recommend the hospital, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for the percentages. The percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 19.

Number of respondents who replied "probably yes" or "definitely yes" to HCAHPS Question 19, "Would you recommend this hospital to your friends and family?"

442

Total number of respondents to HCAHPS Question 19

470

Percentage of total respondents who responded "probably yes" or "definitely yes" to HCAHPS Question 19

94

Total number of people surveyed on HCAHPS Question 19

478

Response rate, or the percentage of people who responded to HCAHPS Question 19

98.3

Table 3. Patient recommends hospital by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Asian	87	89	97.8	90	98.9
Black or African American	52	57	91.2	59	96.6
Hispanic or Latino	80	85	94.1	88	96.6
Middle Eastern or North African					
Multiracial and/or Multiethnic (two or more races)	11	12	91.7	12	100
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
White	190	202	94.1	203	99.5

  

Age	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Age < 18					
Age 18 to 34	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Age 35 to 49	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Age 50 to 64	106	112	94.6	114	98.2
Age 65 Years and Older	309	325	95.1	329	98.8

  

Sex assigned at birth	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female	222	240	92.5	244	98.4
Male	220	230	95.7	234	98.3
Unknown					

  

Payer Type	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Medicare	219	235	93.2	239	98.3
Medicaid	70	75	93.3	78	96.2
Private	141	148	95.3	149	99.3
Self-Pay					
Other	12	12	100	12	100

  

Preferred Language	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
English Language	372	399	93.2	405	98.5
Spanish Language	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Middle Eastern Languages					
American Sign Language	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Other/Unknown Languages					

<b>Disability Status</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Does not have a disability</b>	330	348	94.8	354	98.3
<b>Has a mobility disability</b>	Suppressed	Suppressed	Suppressed	104	98.1
<b>Has a cognition disability</b>	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
<b>Has a hearing disability</b>	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
<b>Has a vision disability</b>	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
<b>Has a self-care disability</b>					
<b>Has an independent living disability</b>					

  

<b>Sexual Orientation</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Lesbian, gay or homosexual</b>	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
<b>Straight or heterosexual</b>	46	52	88.5	52	100
<b>Bisexual</b>	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
<b>Something else</b>	390	412	94.7	420	98.1
<b>Don't know</b>	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
<b>Not disclosed</b>	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed

  

<b>Gender Identity</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Female</b>	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
<b>Female-to-male (FTM)/ transgender male/trans man</b>					
<b>Male</b>	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
<b>Male-to-female (MTF)/ transgender female/trans</b>					
<b>Non-conforming gender</b>					
<b>Additional gender category or other</b>	381	403	94.5	411	98.1
<b>Not disclosed</b>					

## Patient Received Information in Writing

The second HCAHPS quality measure is the percentage of patients who reported receiving information in writing on symptoms and health problems to look out for after leaving the hospital. General acute care hospitals are required to provide the percentage of patient respondents who responded "yes" to being provided written information, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for these percentages. These percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 17.

Number of respondents who replied "yes" to HCAHPS Question 17, "During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the

hospital?"

378

Total number of respondents to HCAHPS Question 17

431

Percentage of respondents who responded "yes" to HCAHPS Question 17

87.7

Total number of people surveyed on HCAHPS Question 17

478

Response rate, or the percentage of people who responded to HCAHPS Question 17

90.2

Table 4. Patient reports receiving information in writing about symptoms or health problems by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>American Indian or Alaska Native</b>	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
<b>Asian</b>	71	83	85.5	90	92.2
<b>Black or African American</b>	46	53	86.8	59	89.8
<b>Hispanic or Latino</b>	77	85	90.6	88	96.6
<b>Middle Eastern or North African</b>					
<b>Multiracial and/or Multiethnic (two or more races)</b>	Suppressed	Suppressed	Suppressed	12	91.7
<b>Native Hawaiian or Pacific Islander</b>	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
<b>White</b>	155	177	87.6	203	87.2

<b>Age</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Age &lt; 18</b>					
<b>Age 18 to 34</b>	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
<b>Age 35 to 49</b>	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
<b>Age 50 to 64</b>	96	103	93.2	114	90.4
<b>Age 65 Years and Older</b>	253	293	86.3	329	89.1

<b>Sex assigned at birth</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Female</b>	184	219	84	244	89.8
<b>Male</b>	194	212	91.5	234	90.6
<b>Unknown</b>					

<b>Payer Type</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Medicare	180	209	86.1	239	87.4
Medicaid	69	76	90.8	78	97.4
Private	118	134	88.1	149	89.9
Self-Pay					
Other	11	12	91.7	12	100

  

<b>Preferred Language</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
English Language	313	361	86.7	405	89.1
Spanish Language	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Middle Eastern Languages					
American Sign	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Other/Unknown Languages					

  

<b>Disability Status</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Does not have a disability	286	323	88.5	354	91.2
Has a mobility disability	Suppressed	Suppressed	Suppressed	104	Suppressed
Has a cognition	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Has a hearing disability	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Has a vision disability	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Has a self-care					
Has an independent living disability					

  

<b>Sexual Orientation</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Lesbian, gay or homosexual	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Straight or heterosexual	37	44	84.1	52	84.6
Bisexual	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Something else	335	381	87.9	420	90.7
Don't know	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Not disclosed	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed



Gender Identity	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/ transgender male/trans man					
Male	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/ transgender female/trans woman					
Non-conforming gender					
Additional gender category or other	327	373	87.7	411	90.8
Not disclosed					

## Agency for Healthcare Research and Quality (AHRQ) Indicators

General acute care hospitals are required to report on two indicators from the Agency for Healthcare Research and Quality (AHRQ). For general information about AHRQ indicators, please visit the following link by copying and pasting the URL into your web browser:

<https://qualityindicators.ahrq.gov/>

## Pneumonia Mortality Rate

The Pneumonia Mortality Rate is defined as the rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission for patients ages 18 years and older. General acute care hospitals report the Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Inpatient Quality Indicator is 20. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:

[https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI\\_20\\_Pneumonia\\_Mortality\\_Rate.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_20_Pneumonia_Mortality_Rate.pdf)

Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

10

Total number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

208

Rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

48.1

Table 5. Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>American Indian or Alaska Native</b>	Suppressed	Suppressed	Suppressed
<b>Asian</b>	Suppressed	Suppressed	Suppressed
<b>Black or African American</b>	Suppressed	Suppressed	Suppressed
<b>Hispanic or Latino</b>	Suppressed	Suppressed	Suppressed
<b>Middle Eastern or North African</b>			
<b>Multiracial and/or Multiethnic (two or more)</b>	Suppressed	Suppressed	Suppressed
<b>Native Hawaiian or Pacific Islander</b>	Suppressed	Suppressed	Suppressed
<b>White</b>	Suppressed	Suppressed	Suppressed

  

<b>Age</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Age &lt; 18</b>			
<b>Age 18 to 34</b>	Suppressed	Suppressed	Suppressed
<b>Age 35 to 49</b>	Suppressed	Suppressed	Suppressed
<b>Age 50 to 64</b>	Suppressed	56	Suppressed
<b>Age 65 Years and Older</b>	Suppressed	130	Suppressed

  

<b>Sex assigned at birth</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Female</b>	Suppressed	103	Suppressed
<b>Male</b>	Suppressed	105	Suppressed
<b>Unknown</b>			

  

<b>Payer Type</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Medicare</b>	Suppressed	100	Suppressed
<b>Medicaid</b>	Suppressed	Suppressed	Suppressed
<b>Private</b>	Suppressed	Suppressed	Suppressed
<b>Self-Pay</b>			
<b>Other</b>	Suppressed	Suppressed	Suppressed

<b>Preferred Language</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages	Suppressed	Suppressed	Suppressed

<b>Disability Status</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability	Suppressed	Suppressed	Suppressed
Has a cognition disability	Suppressed	Suppressed	Suppressed
Has a hearing disability	Suppressed	Suppressed	Suppressed
Has a vision disability	Suppressed	Suppressed	Suppressed
Has a self-care disability			
Has an independent living disability			

<b>Sexual Orientation</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual			
Something else	Suppressed	201	Suppressed
Don't know			
Not disclosed			

<b>Gender Identity</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/ transgender male/trans man			
Male	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

# Death Rate among Surgical Inpatients with Serious Treatable Complications

The Death Rate among Surgical Inpatients with Serious Treatable Complications is defined as the rate of in-hospital deaths per 1,000 surgical discharges among patients ages 18-89 years old or obstetric patients with serious treatable complications. General acute care hospitals report this measure by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Patient Safety Indicator is 04. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:

[https://qualityindicators.ahrq.gov/Downloads/Modules/PSI/V2023/TechSpecs/PSI\\_04\\_Death\\_Rate\\_among\\_Surgical\\_Inpatients\\_with\\_Serious\\_Treatable\\_Complications.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/PSI/V2023/TechSpecs/PSI_04_Death_Rate_among_Surgical_Inpatients_with_Serious_Treatable_Complications.pdf)

Number of in-hospital deaths among patients aged 18-89 years old or obstetric patients with serious treatable complications

4

Total number of surgical discharges among patients aged 18-89 years old or obstetric patients

27

Rate of in-hospital deaths per 1,000 surgical discharges, among patients aged 18-89 years old or obstetric patients with serious treatable complications

148.1

Table 6. Death Rate among Surgical Inpatients with Serious Treatable Complications by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
American Indian or Alaska Native			
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander			
White	Suppressed	Suppressed	Suppressed

Age	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Age < 18			
Age 18 to 34			
Age 35 to 49	Suppressed	Suppressed	Suppressed
Age 50 to 64	Suppressed	Suppressed	Suppressed
Age 65 Years and Older	Suppressed	19	Suppressed

Sex assigned at birth	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female	Suppressed	Suppressed	Suppressed
Male	Suppressed	20	Suppressed
Unknown			

  

Payer Type	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other	Suppressed	Suppressed	Suppressed

  

Preferred Language	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

  

Disability Status	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability	Suppressed	Suppressed	Suppressed
Has a cognition disability	Suppressed	Suppressed	Suppressed
Has a hearing disability			
Has a vision disability	Suppressed	Suppressed	Suppressed
Has a self-care disability			
Has an independent living disability			

  

Sexual Orientation	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else	Suppressed	Suppressed	Suppressed
Don't know			
Not disclosed			

Gender Identity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/ transgender male/trans man			
Male			
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

## California Maternal Quality Care Collaborative (CMQCC) Core Quality Measures

There are three core quality maternal measures adopted from the California Maternal Quality Care Collaborative (CMQCC).

### CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate

The CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate is defined as nulliparous women with a term (at least 37 weeks gestation), singleton baby in a vertex position delivered by cesarian birth. General acute care hospitals report the NTSV Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cmqcc.org/quality-improvement-toolkits/supporting-vaginal-birth/ntsv-cesarean-birth-measure-specifications>

Number of NTSV patients with Cesarean deliveries

NA

Total number of nulliparous NTSV patients

NA

Rate of NTSV patients with Cesarean deliveries

NA

Table 7. Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
American Indian or Alaska Native			
Asian			
Black or African American			
Hispanic or Latino			
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander			
White			
<b>Age</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Age < 18			
Age 18 to 29			
Age 30 to 39			
Age 40 Years and Older			
<b>Sex assigned at birth</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Female			
Male			
Unknown			
<b>Payer Type</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Medicare			
Medicaid			
Private			
Self-Pay			
Other			
<b>Preferred Language</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
English Language			
Spanish Language			
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

<b>Disability Status</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## CMQCC Vaginal Birth After Cesarean (VBAC) Rate

The CMQCC Vaginal Birth After Cesarean (VBAC) Rate is defined as vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries. General acute care hospitals report the VBAC Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The VBAC Rate uses the specifications of AHRQ Inpatient Quality Indicator 22. For more information, please visit the following link by copying and pasting the URL into your web browser:

[https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI\\_22\\_Vaginal\\_Birth\\_After\\_Cesarean\\_\(VBAC\)\\_Delivery\\_Rate\\_Uncomplicated.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_22_Vaginal_Birth_After_Cesarean_(VBAC)_Delivery_Rate_Uncomplicated.pdf)

Number of vaginal delivery among cases with previous Cesarean delivery that meet the inclusion and exclusion criteria

NA

Total number of birth discharges with previous Cesarean delivery that meet the inclusion and exclusion criteria



NA

Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries

NA

Table 8. Vaginal Birth After Cesarean (VBAC) Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
<b>American Indian or Alaska Native</b>			
<b>Asian</b>			
<b>Black or African American</b>			
<b>Hispanic or Latino</b>			
<b>Middle Eastern or North African</b>			
<b>Multiracial and/or Multiethnic (two or more races)</b>			
<b>Native Hawaiian or Pacific</b>			
<b>White</b>			

<b>Age</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
<b>Age &lt; 18</b>			
<b>Age 18 to 29</b>			
<b>Age 30 to 39</b>			
<b>Age 40 Years and Older</b>			

<b>Sex assigned at birth</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
<b>Female</b>			
<b>Male</b>			
<b>Unknown</b>			

<b>Payer Type</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
<b>Medicare</b>			
<b>Medicaid</b>			
<b>Private</b>			
<b>Self-Pay</b>			
<b>Other</b>			

<b>Preferred Language</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
English Language			
Spanish Language			
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

  

<b>Disability Status</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living			

  

<b>Sexual Orientation</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or			
Not disclosed			

## CMQCC Exclusive Breast Milk Feeding Rate

The CMQCC Exclusive Breast Milk Feeding Rate is defined as the newborns per 100 who reached at least 37 weeks of gestation (or 3000g if gestational age is missing) who received breast milk

exclusively during their stay at the hospital. Other criteria are that the newborns did not go to the neonatal intensive care unit (NICU), transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia. General acute care hospitals report the Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The CMQCC Exclusive Breast Milk Feeding Rate uses the Joint Commission National Quality Measure PC-05. For more information, please visit the following link by copying and pasting the URL into your web browser: <https://manual.jointcommission.org/releases/TJC2024B/MIF0170.html>

Number of newborn cases that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

NA

Total number of newborn cases born in the hospital that meet the inclusion and exclusion criteria

NA

Rate of newborn cases per 100 that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

NA

Table 9. Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
American Indian or Alaska Native			
Asian			
Black or African American			
Hispanic or Latino			
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific			
White			

Age	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Age < 18			
Age 18 to 29			
Age 30 to 39			
Age 40 Years and Older			

<b>Sex assigned at birth</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
<b>Female</b>			
<b>Male</b>			
<b>Unknown</b>			

  

<b>Payer Type</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
<b>Medicare</b>			
<b>Medicaid</b>			
<b>Private</b>			
<b>Self-Pay</b>			
<b>Other</b>			

  

<b>Preferred Language</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
<b>English Language</b>			
<b>Spanish Language</b>			
<b>Asian Pacific Islander Languages</b>			
<b>Middle Eastern Languages</b>			
<b>American Sign Language</b>			
<b>Other/Unknown Languages</b>			

  

<b>Disability Status</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
<b>Does not have a disability</b>			
<b>Has a mobility disability</b>			
<b>Has a cognition disability</b>			
<b>Has a hearing disability</b>			
<b>Has a vision disability</b>			
<b>Has a self-care disability</b>			
<b>Has an independent living</b>			

<b>Sexual Orientation</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate

General acute care hospitals are required to report several HCAI All-Cause Unplanned 30-Day Hospital Readmission Rates, which are broadly defined as the percentage of hospital-level, unplanned, all-cause readmissions after admission for eligible conditions within 30 days of hospital discharge for patients aged 18 years and older. These rates are first stratified based on any eligible condition, mental health disorders, substance use disorders, co-occurring disorders, and no behavioral health diagnosis. Then, each condition-stratified hospital readmission rate is further stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information on the HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate, please visit the following link by copying and pasting the URL into your web browser:

[https://hcai.ca.gov/wp-content/uploads/2024/10/HCAI-All-Cause-Readmission-Rate-Exclusions\\_ADA.pdf](https://hcai.ca.gov/wp-content/uploads/2024/10/HCAI-All-Cause-Readmission-Rate-Exclusions_ADA.pdf)

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate – Any Eligible Condition

Number of inpatient hospital admissions which occurs within 30 days of the discharge date of an eligible index admission and were 18 years or older at time of admission

173

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

2027

Rate of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older

8.5

Table 10. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for any eligible condition by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>American Indian or Alaska Native</b>	Suppressed	Suppressed	Suppressed
<b>Asian</b>	Suppressed	297	Suppressed
<b>Black or African American</b>	Suppressed	474	Suppressed
<b>Hispanic or Latino</b>	Suppressed	415	Suppressed
<b>Middle Eastern or North African</b>			
<b>Multiracial and/or Multiethnic (two or more races)</b>	Suppressed	Suppressed	Suppressed
<b>Native Hawaiian or Pacific Islander</b>	Suppressed	Suppressed	Suppressed
<b>White</b>	Suppressed	697	Suppressed

  

<b>Age</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>Age 18 to 34</b>	Suppressed	107	Suppressed
<b>Age 35 to 49</b>	Suppressed	247	Suppressed
<b>Age 50 to 64</b>	47	599	7.8
<b>Age 65 Years and Older</b>	100	1074	9.3

  

<b>Sex assigned at birth</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>Female</b>	92	981	9.4
<b>Male</b>	81	1046	7.7
<b>Unknown</b>			

  

<b>Payer Type</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>Medicare</b>	Suppressed	808	Suppressed
<b>Medicaid</b>	Suppressed	Suppressed	Suppressed
<b>Private</b>	Suppressed	582	Suppressed
<b>Self-Pay</b>			
<b>Other</b>	Suppressed	Suppressed	Suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>English Language</b>	Suppressed	1696	Suppressed
<b>Spanish Language</b>	Suppressed	Suppressed	Suppressed
<b>Asian Pacific Islander Languages</b>	Suppressed	Suppressed	Suppressed
<b>Middle Eastern Languages</b>	Suppressed	Suppressed	Suppressed
<b>American Sign Language</b>	Suppressed	Suppressed	Suppressed
<b>Other/Unknown Languages</b>	Suppressed	Suppressed	Suppressed

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability	Suppressed	Suppressed	Suppressed
Has a cognition disability	Suppressed	Suppressed	Suppressed
Has a hearing disability	Suppressed	Suppressed	Suppressed
Has a vision disability	Suppressed	Suppressed	Suppressed
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual	Suppressed	Suppressed	Suppressed
Straight or heterosexual	Suppressed	132	Suppressed
Bisexual	Suppressed	Suppressed	Suppressed
Something else	Suppressed	1884	Suppressed
Don't know			
Not disclosed	Suppressed	Suppressed	Suppressed

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/transgender male/trans man			
Male	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Mental Health Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for mental health disorders and were 18 years or older at time of admission

46

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

379

Rate of hospital-level, unplanned, all-cause readmissions after admission for mental health disorders within 30 days of hospital discharge for patients aged 18 and older

12.1

Table 11. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for mental health disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed
White	Suppressed	Suppressed	Suppressed

  

<b>Age</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	Suppressed	20	Suppressed
Age 35 to 49	Suppressed	57	Suppressed
Age 50 to 64	12	104	11.5
Age 65 Years and Older	23	198	11.6

  

<b>Sex assigned at birth</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	Suppressed	242	Suppressed
Male	Suppressed	137	Suppressed
Unknown			

  

<b>Payer Type</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other	Suppressed	Suppressed	Suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages	Suppressed	Suppressed	Suppressed
American Sign Language			
Other/Unknown Languages	Suppressed	Suppressed	Suppressed



<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability	Suppressed	Suppressed	Suppressed
Has a cognition disability	Suppressed	Suppressed	Suppressed
Has a hearing disability	Suppressed	Suppressed	Suppressed
Has a vision disability	Suppressed	Suppressed	Suppressed
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual	Suppressed	Suppressed	Suppressed
Something else	Suppressed	Suppressed	Suppressed
Don't know			
Not disclosed	Suppressed	Suppressed	Suppressed

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/transgender male/trans man			
Male	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Substance Use Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for substance use disorders and were 18 years or older at time of admission

15

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

184

Rate of hospital-level, unplanned, all-cause readmissions after admission for substance use disorders within 30 days of hospital discharge for patients aged 18 and older

8.2

Table 12. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for substance use disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander			
White	Suppressed	Suppressed	Suppressed

  

<b>Age</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	Suppressed	13	Suppressed
Age 35 to 49	Suppressed	48	Suppressed
Age 50 to 64	Suppressed	84	Suppressed
Age 65 Years and Older	Suppressed	39	Suppressed

  

<b>Sex assigned at birth</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Unknown			

  

<b>Payer Type</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other	Suppressed	Suppressed	Suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability	Suppressed	Suppressed	Suppressed
Has a cognition disability	Suppressed	Suppressed	Suppressed
Has a hearing disability			
Has a vision disability	Suppressed	Suppressed	Suppressed
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual	Suppressed	Suppressed	Suppressed
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual	Suppressed	Suppressed	Suppressed
Something else	Suppressed	Suppressed	Suppressed
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/transgender male/trans man			
Male	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Co-occurring disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for co-occurring disorders and were 18 years or older at time of admission

18

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

132

Rate of hospital-level, unplanned, all-cause readmissions after admission for co-occurring disorders within 30 days of hospital discharge for patients aged 18 and older

13.6

Table 13. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for co-occurring disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native			
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed
White	Suppressed	Suppressed	Suppressed

  

<b>Age</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	Suppressed	20	Suppressed
Age 35 to 49	Suppressed	30	Suppressed
Age 50 to 64	11	59	18.6
Age 65 Years and Older	Suppressed	23	Suppressed

  

<b>Sex assigned at birth</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Unknown			

  

<b>Payer Type</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other	Suppressed	Suppressed	Suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability	Suppressed	Suppressed	Suppressed
Has a cognition disability	Suppressed	Suppressed	Suppressed
Has a hearing disability	Suppressed	Suppressed	Suppressed
Has a vision disability	Suppressed	Suppressed	Suppressed
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual	Suppressed	Suppressed	Suppressed
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual			
Something else	Suppressed	Suppressed	Suppressed
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/transgender male/trans man			
Male	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - No Behavioral Health Diagnosis

Number of inpatient hospital admissions which occurs within 30 days of the discharge date with no behavioral diagnosis and were 18 years or older at time of admission

94

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

1332

Rate of hospital-level, unplanned, all-cause readmissions after admission with no behavioral diagnosis within 30 days of hospital discharge for patients aged 18 and older

7.1

Table 14. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate with No Behavioral Diagnosis by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed
White	Suppressed	Suppressed	Suppressed

  

<b>Age</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	Suppressed	54	Suppressed
Age 35 to 49	Suppressed	112	Suppressed
Age 50 to 64	18	352	5.1
Age 65 Years and Older	72	814	8.8

  

<b>Sex assigned at birth</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	Suppressed	641	Suppressed
Male	Suppressed	691	Suppressed
Unknown			

  

<b>Payer Type</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other	Suppressed	Suppressed	Suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages			
American Sign Language	Suppressed	Suppressed	Suppressed
Other/Unknown Languages	Suppressed	Suppressed	Suppressed

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability	Suppressed	Suppressed	Suppressed
Has a cognition disability	Suppressed	Suppressed	Suppressed
Has a hearing disability	Suppressed	Suppressed	Suppressed
Has a vision disability	Suppressed	Suppressed	Suppressed
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual			
Something else	Suppressed	1248	Suppressed
Don't know			
Not disclosed	Suppressed	Suppressed	Suppressed

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/transgender male/trans man			
Male	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

## Health Equity Plan

All general acute care hospitals report a health equity plan that identifies the top 10 disparities and a written plan to address them.

## Top 10 Disparities

Disparities for each hospital equity measure are identified by comparing the rate ratios by stratification groups. Rate ratios are calculated differently for measures with preferred low rates and those with preferred high rates. Rate ratios are calculated after applying the California Health and Human Services Agency's "Data De-Identification Guidelines (DDG)," dated September 23, 2016.

Table 15. Top 10 disparities and their rate ratio values.

Measures	Stratifications	Stratification Group	Stratification Rate	Reference Group	Reference Rate	Rate Ratio
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate, stratified by behavioral health diagnosis (No Behavioral Health Diagnosis)	Age (excluding maternal measures)	65 and older	8.8	50 to 64	5.1	1.7
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Sex Assigned at Birth	Female	9.4	Male	7.7	1.2
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Age (excluding maternal measures)	65 and older	9.3	50 to 64	7.8	1.2
HCAHPS survey: Received information and education	Sex Assigned at Birth	Female	84.0	Male	91.5	1.1
HCAHPS survey: Received information and education	Age (excluding maternal measures)	65 and older	86.3	50 to 64	93.2	1.1
Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey: Would recommend hospital.	Expected Payor	Medicare	93.2	Other	100	1.1
Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey: Would recommend hospital.	Race and/or Ethnicity	Black or African American	91.2	Asian	97.8	1.1
Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey: Would recommend hospital.	Expected Payor	Medicaid	93.3	Other	100	1.1
Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey: Would recommend hospital.	Sexual Orientation	Straight or heterosexual	88.5	Something else	94.7	1.1
Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey: Would recommend hospital.	Race and/or Ethnicity	Multiracial and/or Multiethnic (two or more races)	91.7	Asian	97.8	1.1

#### Plan to address disparities identified in the data

Sutter Solano Medical Center's health equity plan is greater than 5,000 characters. It has been submitted to HCAI and published to the hospital's website as a supplemental PDF file.

### Performance in the priority area

General acute care hospitals are required to provide hospital equity plans that address the top 10 disparities by identifying population impact and providing measurable objectives and specific timeframes. For each disparity, hospital equity plans will address performance across priority areas: person-centered care, patient safety, addressing patient social drivers of health, effective treatment, care coordination, and access to care.

#### Person-centered care

Sutter Solano Medical Center assesses Person Centeredness through Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) patient surveys. CMS publishes the results of these surveys in the Patient Survey Rating section of their Hospital Care Compare



platform at <https://www.medicare.gov/care-compare/details/hospital/050101>

#### Patient safety

Sutter Solano Medical Center assesses Patient Safety through Healthcare Associated Infection (HAI) Standardized Infection Rates (SIR). CMS publishes these measures in the Complications & Deaths section of their Hospital Care Compare platform at <https://www.medicare.gov/care-compare/details/hospital/050101>

#### Addressing patient social drivers of health

Sutter Solano Medical Center assesses Social Drivers of Health through the CMS Screening for Social Drivers of Health measure set, which is found in this hospital's Health Equity Report.

### **Performance in the priority area continued**

Performance across all of the following priority areas.

#### Effective treatment

Sutter Solano Medical Center assesses Priority Treatment through the CMS Sepsis Care measure. CMS publishes this measures in the Timely & Effective Care section of their Hospital Care Compare platform at <https://www.medicare.gov/care-compare/details/hospital/050101>

#### Care coordination

Sutter Solano Medical Center assesses Care Coordination through the CMS Unplanned Hospital Visit measure set. CMS publishes these measures in the Unplanned Hospitals Visits section of their Hospital Care Compare platform at <https://www.medicare.gov/care-compare/details/hospital/050101>

#### Access to care

Sutter Solano Medical Center assesses Care Access through CMS Left Without Being Seen (OP-22) measure. CMS publishes this measures in the Timely & Effective Care section of their Hospital Care Compare platform at <https://www.medicare.gov/care-compare/details/hospital/050101>

### **Methodology Guidelines**

Did the hospital follow the methodology in the Measures Submission Guide? (Y/N)

Y