

Hospital Equity Measures Report

General Information

Report Type:	Hospital Equity Measures Report
Year:	2024
Hospital Name:	SUTTER TRACY COMMUNITY HOSPITAL
Facility Type:	General Acute Care Hospital
Hospital HCAI ID:	106391056
Report Period:	1/1/2024 - 12/31/2024
Status:	Complete
Due Date:	11/29/2025
Last Updated:	02/25/2026
Hospital Location with Clean Water and Air:	Y
Hospital Web Address for Equity Report:	https://www.sutterhealth.org/stch-equity-report

Overview

Assembly Bill No. 1204 requires the Department of Health Care Access and Information (HCAI) to develop and administer a Hospital Equity Measures Reporting Program to collect and post summaries of key hospital performance and patient outcome data regarding sociodemographic information, including but not limited to age, sex, race/ethnicity, payor type, language, disability status, and sexual orientation and gender identity.

Hospitals (general acute, children's, and acute psychiatric) and hospital systems are required to annually submit their reports to HCAI. These reports contain summaries of each measure, the top 10 disparities, and the equity plans to address the identified disparities. HCAI is required to maintain a link on the HCAI website that provides access to the content of hospital equity measures reports and equity plans to the public. All submitted hospitals are required to post their reports on their websites, as well.

Laws and Regulations

For more information on Assembly Bill No. 1204, please visit the following link by copying and pasting the URL into your web browser:

https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=202120220AB1204

Hospital Equity Measures

Joint Commission Accreditation

General acute care hospitals are required to report three structural measures based on the Commission Accreditation's Health Care Disparities Reduction and Patient-Centered Communication Accreditation Standards. For more information on these measures, please visit the following link by copying and pasting the URL into your web browser:

<https://www.jointcommission.org/standards/r3-report/r3-report-issue-36-new-requirements-to-reduce-health-care-disparities/>

The first two structural measures are scored as "yes" or "no"; the third structural measure comprises the percentages of patients by five categories of preferred languages spoken, in addition to one other/unknown language category.

Designate an individual to lead hospital health equity activities (Y = Yes, N = No).

Y

Provide documentation of policy prohibiting discrimination (Y = Yes, N = No).

Y

Number of patients that were asked their preferred language, five defined categories and one other/unknown languages category.

44886

Table 1. Summary of preferred languages reported by patients.

Languages	Number of patients who report preferring language	Total number of patients	Percentage of total patients who report preferring language (%)
English Language	36001	44886	80.2
Spanish Language	5371	44886	12
Asian Pacific Islander Languages	2068	44886	4.6
Middle Eastern Languages	1137	44886	2.5
American Sign Language	19	44886	0
Other Languages	290	44886	0.6

Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure

There are five domains that make up the CMS Hospital Commitment to HCHE measures. Each domain is scored as "yes" or "no." In order to score "yes," a general acute care hospital is required to confirm all the domain's attestations. Lack of one or more of the attestations results in a score of "no." For more information on the CMS Hospital Commitment to HCHE measures, please visit the following link by copying and pasting the URL into your web browser:
<https://data.cms.gov/provider-data/topics/hospitals/health-equity>

Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure Domain 1: Strategic Planning (Yes/No)

- Our hospital strategic plan identifies priority populations who currently experience health disparities.
- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital strategic plan outlines specific resources that have been dedicated to achieving our equity goals.
- Our hospital strategic plan describes our approach for engaging key stakeholders, such as community-based organizations.

Y

CMS HCHE Measure Domain 2: Data Collection (Yes/No)

- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital has training for staff in culturally sensitive collection of demographics and/or social determinant of health information.

- Our hospital inputs demographic and/or social determinant of health information collected from patients into structured, interoperable data elements using a certified electronic health record (EHR) technology.

N

CMS HCHE Measure Domain 3: Data Analysis (Yes/No)

- Our hospital stratifies key performance indicators by demographic and/or social determinants of health variables to identify equity gaps and includes this information in hospital performance dashboards.

Y

CMS HCHE Measure Domain 4: Quality Improvement (Yes/No)

- Our hospital participates in local, regional or national quality improvement activities focused on reducing health disparities.

Y

CMS HCHE Measure Domain 5: Leadership Engagement (Yes/No)

- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually reviews our strategic plan for achieving health equity.
- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually review key performance indicators stratified by demographic and/or social factors.

Y

Centers for Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH)

General acute care hospitals are required to report on rates of screenings and intervention rates among patients above 18 years old for five health related social needs (HRSN), which are food insecurity, housing instability, transportation problems, utility difficulties, and interpersonal safety. These rates are reported separately as being screened as positive for any of the five HRSNs, positive for each individual HRSN, and the intervention rate for each positively screened HRSN. For more information on the CMS SDOH, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cms.gov/priorities/innovation/key-concepts/social-drivers-health-and-health-related-social-needs>

Number of patients admitted to an inpatient hospital stay who are 18 years or older on the date of admission and are screened for all of the five HRSN

1223

Total number of patients who are admitted to a hospital inpatient stay and who are 18 years or older on the date of admission

2130

Rate of patients admitted for an inpatient hospital stay who are 18 years or older on the date of admission, were screened for an HRSN, and who screened positive for one or more of the HRSNs

57.4

Table 2. Positive screening rates and intervention rates for the five Health Related Social Needs of the Centers of Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH).

Social Driver of Health	Number of positive screenings	Rate of positive screenings (%)	Number of positive screenings who received intervention	Rate of positive screenings who received intervention (%)
Food Insecurity	49	4	30	2.5
Housing Instability	40	3.3	22	1.8
Transportation Problems	49	4	35	2.9
Utility Difficulties	97	7.9	63	5.2
Interpersonal Safety	Suppressed	Suppressed	Suppressed	Suppressed

Core Quality Measures for General Acute Care Hospitals

There are two quality measures from the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey. For more information on the HCAHPS survey, please visit the following link by copying and pasting the URL into your web browser:

<https://hcahpsonline.org/en/survey-instruments/>

Patient Recommends Hospital

The first HCAHPS quality measure is the percentage of patients who would recommend the hospital to friends and family. For this measure, general acute care hospitals provide the percentage of patient respondents who responded "probably yes" or "definitely yes" to whether they would recommend the hospital, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for the percentages. The percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 19.

Number of respondents who replied "probably yes" or "definitely yes" to HCAHPS Question 19, "Would you recommend this hospital to your friends and family?"

407

Total number of respondents to HCAHPS Question 19

443

Percentage of total respondents who responded "probably yes" or "definitely yes" to HCAHPS Question 19

91.9

Total number of people surveyed on HCAHPS Question 19

456

Response rate, or the percentage of people who responded to HCAHPS Question 19

97.1

Table 3. Patient recommends hospital by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Asian	63	65	96.9	65	100
Black or African American	25	30	83.3	30	100
Hispanic or Latino	100	109	91.7	113	96.5
Middle Eastern or North African					
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
White	195	212	92	220	96.4

Age	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Age < 18					
Age 18 to 34	30	35	85.7	35	100
Age 35 to 49	32	36	88.9	36	100
Age 50 to 64	78	85	91.8	86	98.8
Age 65 Years and Older	267	287	93	299	96

Sex assigned at birth	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female	220	240	91.7	246	97.6
Male	187	203	92.1	210	96.7
Unknown					

Payer Type	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Medicare	156	171	91.2	181	94.5
Medicaid	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Private	195	212	92	215	98.6
Self-Pay					
Other	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed

Preferred Language	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
English Language	339	372	91.1	383	97.1
Spanish Language	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Middle Eastern Languages	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
American Sign Language					
Other/Unknown Languages	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed

Disability Status	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Does not have a disability	325	351	92.6	362	97
Has a mobility disability	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Has a cognition disability	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Has a hearing disability	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Has a vision disability	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Has a self-care disability					
Has an independent living disability					

Sexual Orientation	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Lesbian, gay or homosexual	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Straight or heterosexual	36	37	97.3	37	100
Bisexual					
Something else	368	402	91.5	415	96.9
Don't know	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Not disclosed	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed

Gender Identity	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/ transgender male/trans man					
Male	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/ transgender female/trans					
Non-conforming gender					
Additional gender category or other	360	393	91.6	404	97.3
Not disclosed					

Patient Received Information in Writing

The second HCAHPS quality measure is the percentage of patients who reported receiving information in writing on symptoms and health problems to look out for after leaving the hospital. General acute care hospitals are required to provide the percentage of patient respondents who responded "yes" to being provided written information, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for these percentages. These percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 17.

Number of respondents who replied "yes" to HCAHPS Question 17, "During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the

hospital?"

354

Total number of respondents to HCAHPS Question 17

407

Percentage of respondents who responded "yes" to HCAHPS Question 17

87

Total number of people surveyed on HCAHPS Question 17

456

Response rate, or the percentage of people who responded to HCAHPS Question 17

89.3

Table 4. Patient reports receiving information in writing about symptoms or health problems by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Asian	51	61	83.6	65	93.8
Black or African American	22	26	84.6	30	86.7
Hispanic or Latino	91	100	91	113	88.5
Middle Eastern or North African					
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
White	171	195	87.7	220	88.6

Age	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Age < 18					
Age 18 to 34	32	35	91.4	35	100
Age 35 to 49	34	35	97.1	36	97.2
Age 50 to 64	73	79	92.4	86	91.9
Age 65 Years and Older	215	258	83.3	299	86.3

Sex assigned at birth	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female	195	222	87.8	246	90.2
Male	159	185	85.9	210	88.1
Unknown					

Payer Type	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Medicare	133	155	85.8	181	85.6
Medicaid	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Private	170	196	86.7	215	91.2
Self-Pay					
Other	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed

Preferred Language	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
English Language	295	342	86.3	383	89.3
Spanish Language	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Middle Eastern Languages	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
American Sign					
Other/Unknown Languages	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed

Disability Status	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Does not have a disability	289	328	88.1	362	90.6
Has a mobility disability	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Has a cognition	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Has a hearing disability	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Has a vision disability	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Has a self-care					
Has an independent living disability					

Sexual Orientation	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Lesbian, gay or homosexual				Suppressed	Suppressed
Straight or heterosexual	34	35	97.1	37	94.6
Bisexual					
Something else	317	369	85.9	415	88.9
Don't know	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Not disclosed	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed

Gender Identity	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/ transgender male/trans man					
Male	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/ transgender female/trans woman					
Non-conforming gender					
Additional gender category or other	306	358	85.5	404	88.6
Not disclosed					

Agency for Healthcare Research and Quality (AHRQ) Indicators

General acute care hospitals are required to report on two indicators from the Agency for Healthcare Research and Quality (AHRQ). For general information about AHRQ indicators, please visit the following link by copying and pasting the URL into your web browser:

<https://qualityindicators.ahrq.gov/>

Pneumonia Mortality Rate

The Pneumonia Mortality Rate is defined as the rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission for patients ages 18 years and older. General acute care hospitals report the Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Inpatient Quality Indicator is 20. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:

https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_20_Pneumonia_Mortality_Rate.pdf

Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

2

Total number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

196

Rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

10.2

Table 5. Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
American Indian or Alaska Native			
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed
White	Suppressed	Suppressed	Suppressed

Age	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Age < 18			
Age 18 to 34	Suppressed	Suppressed	Suppressed
Age 35 to 49	Suppressed	Suppressed	Suppressed
Age 50 to 64	Suppressed	Suppressed	Suppressed
Age 65 Years and Older	Suppressed	Suppressed	Suppressed

Sex assigned at birth	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Unknown			

Payer Type	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages	Suppressed	Suppressed	Suppressed
American Sign Language			
Other/Unknown Languages	Suppressed	Suppressed	Suppressed

Disability Status	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability	Suppressed	Suppressed	Suppressed
Has a cognition disability	Suppressed	Suppressed	Suppressed
Has a hearing disability	Suppressed	Suppressed	Suppressed
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Lesbian, gay or homosexual			
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual			
Something else	Suppressed	Suppressed	Suppressed
Don't know			
Not disclosed			

Gender Identity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/ transgender male/trans man			
Male	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

Death Rate among Surgical Inpatients with Serious Treatable Complications

The Death Rate among Surgical Inpatients with Serious Treatable Complications is defined as the rate of in-hospital deaths per 1,000 surgical discharges among patients ages 18-89 years old or obstetric patients with serious treatable complications. General acute care hospitals report this measure by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Patient Safety Indicator is 04. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:

https://qualityindicators.ahrq.gov/Downloads/Modules/PSI/V2023/TechSpecs/PSI_04_Death_Rate_among_Surgical_Inpatients_with_Serious_Treatable_Complications.pdf

Number of in-hospital deaths among patients aged 18-89 years old or obstetric patients with serious treatable complications

2

Total number of surgical discharges among patients aged 18-89 years old or obstetric patients

16

Rate of in-hospital deaths per 1,000 surgical discharges, among patients aged 18-89 years old or obstetric patients with serious treatable complications

125

Table 6. Death Rate among Surgical Inpatients with Serious Treatable Complications by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
American Indian or Alaska Native			
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more)			
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed
White	Suppressed	Suppressed	Suppressed

Age	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Age < 18			
Age 18 to 34	Suppressed	Suppressed	Suppressed
Age 35 to 49	Suppressed	Suppressed	Suppressed
Age 50 to 64	Suppressed	Suppressed	Suppressed
Age 65 Years and Older	Suppressed	Suppressed	Suppressed

Sex assigned at birth	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Unknown			

Payer Type	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability	Suppressed	Suppressed	Suppressed
Has a cognition disability			
Has a hearing disability			
Has a vision disability	Suppressed	Suppressed	Suppressed
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Lesbian, gay or homosexual			
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual			
Something else	Suppressed	Suppressed	Suppressed
Don't know			
Not disclosed			

Gender Identity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/ transgender male/trans man			
Male	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

California Maternal Quality Care Collaborative (CMQCC) Core Quality Measures

There are three core quality maternal measures adopted from the California Maternal Quality Care Collaborative (CMQCC).

CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate

The CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate is defined as nulliparous women with a term (at least 37 weeks gestation), singleton baby in a vertex position delivered by cesarian birth. General acute care hospitals report the NTSV Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cmqcc.org/quality-improvement-toolkits/supporting-vaginal-birth/ntsv-cesarean-birth-measure-specifications>

Number of NTSV patients with Cesarean deliveries

24

Total number of nulliparous NTSV patients

123

Rate of NTSV patients with Cesarean deliveries

0.195

Table 7. Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
American Indian or Alaska Native			
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander			
White	Suppressed	Suppressed	Suppressed

Age	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Age < 18	Suppressed	Suppressed	Suppressed
Age 18 to 29	Suppressed	Suppressed	Suppressed
Age 30 to 39	Suppressed	Suppressed	Suppressed
Age 40 Years and Older	Suppressed	Suppressed	Suppressed

Sex assigned at birth	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Female	24	123	0.195
Male			
Unknown			

Payer Type	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Medicare			
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other			

Preferred Language	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Lesbian, gay or homosexual			
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual			
Something else	Suppressed	Suppressed	Suppressed
Don't know			
Not disclosed			

Gender Identity	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender	Suppressed	Suppressed	Suppressed
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

CMQCC Vaginal Birth After Cesarean (VBAC) Rate

The CMQCC Vaginal Birth After Cesarean (VBAC) Rate is defined as vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries. General acute care hospitals report the VBAC Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The VBAC Rate uses the specifications of AHRQ Inpatient Quality Indicator 22. For more information, please visit the following link by copying and pasting the URL into your web browser:

[https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_22_Vaginal_Birth_After_Cesarean_\(VBAC\)_Delivery_Rate_Uncomplicated.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_22_Vaginal_Birth_After_Cesarean_(VBAC)_Delivery_Rate_Uncomplicated.pdf)

Number of vaginal delivery among cases with previous Cesarean delivery that meet the inclusion and exclusion criteria

0

Total number of birth discharges with previous Cesarean delivery that meet the inclusion and exclusion criteria

Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries

0

Table 8. Vaginal Birth After Cesarean (VBAC) Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
American Indian or Alaska Native			
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific	Suppressed	Suppressed	Suppressed
White	Suppressed	Suppressed	Suppressed

Age	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Age < 18			
Age 18 to 29	Suppressed	Suppressed	Suppressed
Age 30 to 39	Suppressed	Suppressed	Suppressed
Age 40 Years and Older	Suppressed	Suppressed	Suppressed

Sex assigned at birth	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Female	Suppressed	Suppressed	Suppressed
Male			
Unknown			

Payer Type	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Medicare			
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other			

Preferred Language	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living			

Sexual Orientation	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Lesbian, gay or homosexual			
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual			
Something else	Suppressed	Suppressed	Suppressed
Don't know			
Not disclosed	Suppressed	Suppressed	Suppressed

Gender Identity	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or	Suppressed	Suppressed	Suppressed
Not disclosed			

CMQCC Exclusive Breast Milk Feeding Rate

The CMQCC Exclusive Breast Milk Feeding Rate is defined as the newborns per 100 who reached at least 37 weeks of gestation (or 3000g if gestational age is missing) who received breast milk

exclusively during their stay at the hospital. Other criteria are that the newborns did not go to the neonatal intensive care unit (NICU), transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia. General acute care hospitals report the Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The CMQCC Exclusive Breast Milk Feeding Rate uses the Joint Commission National Quality Measure PC-05. For more information, please visit the following link by copying and pasting the URL into your web browser: <https://manual.jointcommission.org/releases/TJC2024B/MIF0170.html>

Number of newborn cases that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

315

Total number of newborn cases born in the hospital that meet the inclusion and exclusion criteria

378

Rate of newborn cases per 100 that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

83.3

Table 9. Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
American Indian or Alaska Native			
Asian	82	105	78.1
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	148	168	88.1
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific	Suppressed	Suppressed	Suppressed
White	50	61	82

Age	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Age < 18	315	378	83.3
Age 18 to 29			
Age 30 to 39			
Age 40 Years and Older			

Sex assigned at birth	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Female	154	182	84.6
Male	161	196	82.1
Unknown			

Payer Type	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Medicare			
Medicaid	Suppressed	Suppressed	Suppressed
Private	260	310	83.9
Self-Pay			
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
English Language	288	347	83
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages	Suppressed	Suppressed	Suppressed
American Sign Language			
Other/Unknown Languages	Suppressed	Suppressed	Suppressed

Disability Status	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Does not have a disability	315	378	83.3
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living			

Sexual Orientation	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Lesbian, gay or homosexual			
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual			
Something else	309	371	83.3
Don't know	Suppressed	Suppressed	Suppressed
Not disclosed	Suppressed	Suppressed	Suppressed

Gender Identity	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/transgender male/trans man			
Male	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or	280	338	82.8
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate

General acute care hospitals are required to report several HCAI All-Cause Unplanned 30-Day Hospital Readmission Rates, which are broadly defined as the percentage of hospital-level, unplanned, all-cause readmissions after admission for eligible conditions within 30 days of hospital discharge for patients aged 18 years and older. These rates are first stratified based on any eligible condition, mental health disorders, substance use disorders, co-occurring disorders, and no behavioral health diagnosis. Then, each condition-stratified hospital readmission rate is further stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information on the HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate, please visit the following link by copying and pasting the URL into your web browser:

https://hcai.ca.gov/wp-content/uploads/2024/10/HCAI-All-Cause-Readmission-Rate-Exclusions_ADA.pdf

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate – Any Eligible Condition

Number of inpatient hospital admissions which occurs within 30 days of the discharge date of an eligible index admission and were 18 years or older at time of admission

86

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

1981

Rate of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older

4.3

Table 10. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for any eligible condition by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed
White	Suppressed	Suppressed	Suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	Suppressed	Suppressed	Suppressed
Age 35 to 49	Suppressed	Suppressed	Suppressed
Age 50 to 64	Suppressed	Suppressed	Suppressed
Age 65 Years and Older	67	877	7.6

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	47	1213	3.9
Male	39	768	5.1
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages	Suppressed	Suppressed	Suppressed
American Sign Language			
Other/Unknown Languages	Suppressed	Suppressed	Suppressed

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability	Suppressed	Suppressed	Suppressed
Has a cognition disability	Suppressed	Suppressed	Suppressed
Has a hearing disability	Suppressed	Suppressed	Suppressed
Has a vision disability	Suppressed	Suppressed	Suppressed
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual	Suppressed	Suppressed	Suppressed
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual	Suppressed	Suppressed	Suppressed
Something else	Suppressed	Suppressed	Suppressed
Don't know			
Not disclosed	Suppressed	Suppressed	Suppressed

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/transgender male/trans man	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender	Suppressed	Suppressed	Suppressed
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Mental Health Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for mental health disorders and were 18 years or older at time of admission

20

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

313

Rate of hospital-level, unplanned, all-cause readmissions after admission for mental health disorders within 30 days of hospital discharge for patients aged 18 and older

6.4

Table 11. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for mental health disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native			
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed
White	Suppressed	Suppressed	Suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	Suppressed	Suppressed	Suppressed
Age 35 to 49	Suppressed	Suppressed	Suppressed
Age 50 to 64	Suppressed	Suppressed	Suppressed
Age 65 Years and Older	19	197	9.6

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages	Suppressed	Suppressed	Suppressed
American Sign Language			
Other/Unknown Languages	Suppressed	Suppressed	Suppressed

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability	Suppressed	Suppressed	Suppressed
Has a cognition disability	Suppressed	Suppressed	Suppressed
Has a hearing disability	Suppressed	Suppressed	Suppressed
Has a vision disability	Suppressed	Suppressed	Suppressed
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual	Suppressed	Suppressed	Suppressed
Something else	Suppressed	Suppressed	Suppressed
Don't know			
Not disclosed	Suppressed	Suppressed	Suppressed

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/transgender male/trans man			
Male	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Substance Use Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for substance use disorders and were 18 years or older at time of admission

10

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

114

Rate of hospital-level, unplanned, all-cause readmissions after admission for substance use disorders within 30 days of hospital discharge for patients aged 18 and older

8.8

Table 12. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for substance use disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native			
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander			
White	Suppressed	Suppressed	Suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	Suppressed	Suppressed	Suppressed
Age 35 to 49	Suppressed	Suppressed	Suppressed
Age 50 to 64	Suppressed	Suppressed	Suppressed
Age 65 Years and Older	Suppressed	Suppressed	Suppressed

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages	Suppressed	Suppressed	Suppressed
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability	Suppressed	Suppressed	Suppressed
Has a cognition disability			
Has a hearing disability	Suppressed	Suppressed	Suppressed
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual			
Something else	Suppressed	Suppressed	Suppressed
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/transgender male/trans man			
Male	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Co-occurring disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for co-occurring disorders and were 18 years or older at time of admission

3

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

56

Rate of hospital-level, unplanned, all-cause readmissions after admission for co-occurring disorders within 30 days of hospital discharge for patients aged 18 and older

5.4

Table 13. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for co-occurring disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native			
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander			
White	Suppressed	Suppressed	Suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	Suppressed	Suppressed	Suppressed
Age 35 to 49	Suppressed	Suppressed	Suppressed
Age 50 to 64	Suppressed	Suppressed	Suppressed
Age 65 Years and Older	Suppressed	Suppressed	Suppressed

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages	Suppressed	Suppressed	Suppressed

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability	Suppressed	Suppressed	Suppressed
Has a cognition disability			
Has a hearing disability	Suppressed	Suppressed	Suppressed
Has a vision disability	Suppressed	Suppressed	Suppressed
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual			
Something else	Suppressed	Suppressed	Suppressed
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/transgender male/trans man			
Male	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - No Behavioral Health Diagnosis

Number of inpatient hospital admissions which occurs within 30 days of the discharge date with no behavioral diagnosis and were 18 years or older at time of admission

53

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

1498

Rate of hospital-level, unplanned, all-cause readmissions after admission with no behavioral diagnosis within 30 days of hospital discharge for patients aged 18 and older

3.5

Table 14. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate with No Behavioral Diagnosis by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed
White	Suppressed	Suppressed	Suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	Suppressed	Suppressed	Suppressed
Age 35 to 49	Suppressed	Suppressed	Suppressed
Age 50 to 64	Suppressed	Suppressed	Suppressed
Age 65 Years and Older	44	644	6.8

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages	Suppressed	Suppressed	Suppressed
American Sign Language			
Other/Unknown Languages	Suppressed	Suppressed	Suppressed

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability	Suppressed	Suppressed	Suppressed
Has a mobility disability	Suppressed	Suppressed	Suppressed
Has a cognition disability	Suppressed	Suppressed	Suppressed
Has a hearing disability	Suppressed	Suppressed	Suppressed
Has a vision disability	Suppressed	Suppressed	Suppressed
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual	Suppressed	Suppressed	Suppressed
Straight or heterosexual	Suppressed	Suppressed	Suppressed
Bisexual	Suppressed	Suppressed	Suppressed
Something else	Suppressed	Suppressed	Suppressed
Don't know			
Not disclosed	Suppressed	Suppressed	Suppressed

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	Suppressed	Suppressed	Suppressed
Female-to-male (FTM)/transgender male/trans man	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender	Suppressed	Suppressed	Suppressed
Additional gender category or other	Suppressed	Suppressed	Suppressed
Not disclosed			

Health Equity Plan

All general acute care hospitals report a health equity plan that identifies the top 10 disparities and a written plan to address them.

Top 10 Disparities

Disparities for each hospital equity measure are identified by comparing the rate ratios by stratification groups. Rate ratios are calculated differently for measures with preferred low rates and those with preferred high rates. Rate ratios are calculated after applying the California Health and Human Services Agency's "Data De-Identification Guidelines (DDG)," dated September 23, 2016.

Table 15. Top 10 disparities and their rate ratio values.

Measures	Stratifications	Stratification Group	Stratification Rate	Reference Group	Reference Rate	Rate Ratio
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Sex Assigned at Birth	Male	5.1	Female	3.9	1.3
HCAHPS survey: Received information and education	Age (excluding maternal measures)	65 and older	83.3	35 to 49	97.1	1.2
Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey: Would recommend hospital.	Race and/or Ethnicity	Black or African American	83.3	Asian	96.9	1.2
HCAHPS survey: Received information and education	Sexual Orientation	Something else	85.9	Straight or heterosexual	97.1	1.1
CMQCC Exclusive Breast Milk Feeding	Race and/or Ethnicity	Asian	78.1	Hispanic or Latino	88.1	1.1
HCAHPS survey: Received information and education	Race and/or Ethnicity	Asian	83.6	Hispanic or Latino	91	1.1
Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey: Would recommend hospital.	Age (excluding maternal measures)	18 to 34	85.7	65 and older	93	1.1
HCAHPS survey: Received information and education	Race and/or Ethnicity	Black or African American	84.6	Hispanic or Latino	91	1.1
CMQCC Exclusive Breast Milk Feeding	Race and/or Ethnicity	White	82.0	Hispanic or Latino	88.1	1.1
Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey: Would recommend hospital.	Sexual Orientation	Something else	91.5	Straight or heterosexual	97.3	1.1

Plan to address disparities identified in the data

Sutter Tracy Community Hospital's health equity plan is greater than 5,000 characters. It has been submitted to HCAI and published to the hospital's website as a supplemental PDF file.

Performance in the priority area

General acute care hospitals are required to provide hospital equity plans that address the top 10 disparities by identifying population impact and providing measurable objectives and specific timeframes. For each disparity, hospital equity plans will address performance across priority areas: person-centered care, patient safety, addressing patient social drivers of health, effective treatment, care coordination, and access to care.

Person-centered care

Sutter Tracy Community Hospital assesses Person Centeredness through Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) patient surveys. CMS publishes the results of these surveys in the Patient Survey Rating section of their Hospital Care Compare platform at <https://www.medicare.gov/care-compare/details/hospital/050313>

Patient safety

Sutter Tracy Community Hospital assesses Patient Safety through Healthcare Associated Infection (HAI) Standardized Infection Rates (SIR). CMS publishes these measures in the Complications & Deaths section of their Hospital Care Compare platform at <https://www.medicare.gov/care-compare/details/hospital/050313>

Addressing patient social drivers of health

Sutter Tracy Community Hospital assesses Social Drivers of Health through the CMS Screening for Social Drivers of Health measure set, which is found in this hospital's Health Equity Report.

Performance in the priority area continued

Performance across all of the following priority areas.

Effective treatment

Sutter Tracy Community Hospital assesses Priority Treatment through the CMS Sepsis Care measure. CMS publishes this measures in the Timely & Effective Care section of their Hospital Care Compare platform at <https://www.medicare.gov/care-compare/details/hospital/050313>

Care coordination

Sutter Tracy Community Hospital assesses Care Coordination through the CMS Unplanned Hospital Visit measure set. CMS publishes these measures in the Unplanned Hospitals Visits section of their Hospital Care Compare platform at <https://www.medicare.gov/care-compare/details/hospital/050313>

Access to care

Sutter Tracy Community Hospital assesses Care Access through CMS Left Without Being Seen (OP-22) measure. CMS publishes this measures in the Timely & Effective Care section of their Hospital Care Compare platform at <https://www.medicare.gov/care-compare/details/hospital/050313>

Methodology Guidelines

Did the hospital follow the methodology in the Measures Submission Guide? (Y/N)

Y