

Hospital Equity Measures Report

General Information

| | |
|---|---|
| Report Type: | Hospital Equity Measures Report |
| Year: | 2024 |
| Hospital Name: | KAISER FOUNDATION HOSPITAL - OAKLAND/ RICHMOND |
| Facility Type: | General Acute Care Hospital |
| Hospital HCAI ID: | 106014326 |
| Report Period: | 01/01/2024 - 12/31/2024 |
| Status: | Complete |
| Due Date: | 11/29/2025 |
| Last Updated: | 02/20/2026 |
| Hospital Location with Clean Water and Air: | Y |
| Hospital Web Address for Equity Report: | https://tinyurl.com/KFH-OAK |

Overview

Assembly Bill No. 1204 requires the Department of Health Care Access and Information (HCAI) to develop and administer a Hospital Equity Measures Reporting Program to collect and post summaries of key hospital performance and patient outcome data regarding sociodemographic information, including but not limited to age, sex, race/ethnicity, payor type, language, disability status, and sexual orientation and gender identity.

Hospitals (general acute, children's, and acute psychiatric) and hospital systems are required to annually submit their reports to HCAI. These reports contain summaries of each measure, the top 10 disparities, and the equity plans to address the identified disparities. HCAI is required to maintain a link on the HCAI website that provides access to the content of hospital equity measures reports and equity plans to the public. All submitted hospitals are required to post their reports on their websites, as well.

Laws and Regulations

For more information on Assembly Bill No. 1204, please visit the following link by copying and pasting the URL into your web browser:
https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=202120220AB1204

Hospital Equity Measures

Joint Commission Accreditation

General acute care hospitals are required to report three structural measures based on the Commission Accreditation's Health Care Disparities Reduction and Patient-Centered Communication Accreditation Standards. For more information on these measures, please visit the following link by copying and pasting the URL into your web browser:

The first two structural measures are scored as "yes" or "no"; the third structural measure comprises the percentages of patients by five categories of preferred languages spoken, in addition to one other/unknown language category.

Designate an individual to lead hospital health equity activities (Y = Yes, N = No).

Y

Provide documentation of policy prohibiting discrimination (Y = Yes, N = No).

Y

Number of patients that were asked their preferred language, five defined categories and one other/unknown languages category.

178825

Table 1. Summary of preferred languages reported by patients.

| Languages | Number of patients who report preferring language | Total number of patients | Percentage of total patients who report preferring language (%) |
|----------------------------------|---|--------------------------|---|
| English Language | 154179 | 178825 | 86.2 |
| Spanish Language | 17868 | 178825 | 10.0 |
| Asian Pacific Islander Languages | 4226 | 178825 | 2.4 |
| Middle Eastern Languages | 1288 | 178825 | 0.7 |
| American Sign Language | 115 | 178825 | 0.1 |
| Other Languages | 1149 | 178825 | 0.6 |

Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure

There are five domains that make up the CMS Hospital Commitment to HCHE measures. Each domain is scored as "yes" or "no." In order to score "yes," a general acute care hospital is required to confirm all the domain's attestations. Lack of one or more of the attestations results in a score of "no." For more information on the CMS Hospital Commitment to HCHE measures, please visit the following link by copying and pasting the URL into your web browser:

<https://data.cms.gov/provider-data/topics/hospitals/health-equity>

Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure Domain 1: Strategic Planning (Yes/No)

- Our hospital strategic plan identifies priority populations who currently experience health disparities.
- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital strategic plan outlines specific resources that have been dedicated to achieving our equity goals.
- Our hospital strategic plan describes our approach for engaging key stakeholders, such as community-based organizations.

Y

CMS HCHE Measure Domain 2: Data Collection (Yes/No)

- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital has training for staff in culturally sensitive collection of demographics and/or social determinant of health information.
- Our hospital inputs demographic and/or social determinant of health information collected from patients into structured, interoperable data elements using a certified electronic health record (EHR) technology.

Y

CMS HCHE Measure Domain 3: Data Analysis (Yes/No)

- Our hospital stratifies key performance indicators by demographic and/or social determinants of health variables to identify equity gaps and includes this information in hospital performance dashboards.

Y

CMS HCHE Measure Domain 4: Quality Improvement (Yes/No)

- Our hospital participates in local, regional or national quality improvement activities focused on reducing health disparities.

Y

CMS HCHE Measure Domain 5: Leadership Engagement (Yes/No)

- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually reviews our strategic plan for achieving health equity.
- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually review key performance indicators stratified by demographic and/or social factors.

Y

Centers for Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH)

General acute care hospitals are required to report on rates of screenings and intervention rates among patients above 18 years old for five health related social needs (HRSN), which are food insecurity, housing instability, transportation problems, utility difficulties, and interpersonal safety. These rates are reported separately as being screened as positive for any of the five HRSNs, positive for each individual HRSN, and the intervention rate for each positively screened HRSN. For more information on the CMS SDOH, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cms.gov/priorities/innovation/key-concepts/social-drivers-health-and-health-related-social-needs>

Number of patients admitted to an inpatient hospital stay who are 18 years or older on the date of admission and are screened for all of the five HRSN

8571

Total number of patients who are admitted to a hospital inpatient stay and who are 18 years or older on the date of admission

13863

Rate of patients admitted for an inpatient hospital stay who are 18 years or older on the date of admission, were screened for an HRSN, and who screened positive for one or more of the HRSNs

61.8

Table 2. Positive screening rates and intervention rates for the five Health Related Social Needs of the Centers of Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH).

| Social Driver of Health | Number of positive screenings | Rate of positive screenings (%) | Number of positive screenings who received intervention | Rate of positive screenings who received intervention (%) |
|-------------------------|-------------------------------|---------------------------------|---|---|
| Food Insecurity | 48 | 0.6 | 0 | |
| Housing Instability | 46 | 0.5 | 0 | |
| Transportation Problems | 25 | 0.3 | 0 | |
| Utility Difficulties | 14 | 0.2 | 0 | |
| Interpersonal Safety | Suppressed | Suppressed | 0 | |

Core Quality Measures for General Acute Care Hospitals

There are two quality measures from the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey. For more information on the HCAHPS survey, please visit the following link by copying and pasting the URL into your web browser:

<https://hcahpsonline.org/en/survey-instruments/>

Patient Recommends Hospital

The first HCAHPS quality measure is the percentage of patients who would recommend the hospital to friends and family. For this measure, general acute care hospitals provide the percentage of patient respondents who responded "probably yes" or "definitely yes" to whether they would recommend the hospital, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for the percentages. The percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 19.

Number of respondents who replied "probably yes" or "definitely yes" to HCAHPS Question 19, "Would you recommend this hospital to your friends and family?"

2724

Total number of respondents to HCAHPS Question 19

2867

Percentage of total respondents who responded "probably yes" or "definitely yes" to HCAHPS Question 19

95.0

Total number of people surveyed on HCAHPS Question 19

14335

Response rate, or the percentage of people who responded to HCAHPS Question 19

20.0

Table 3. Patient recommends hospital by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

| Race and/or Ethnicity | Number of "probably yes" or "definitely yes" responses | Total number of responses | Percent of "probably yes" or "definitely yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|---|---|----------------------------------|--|--|---|
| American Indian or Alaska Native | | | | | |
| Asian | | | | | |
| Black or African American | | | | | |
| Hispanic or Latino | | | | | |
| Middle Eastern or North African | | | | | |
| Multiracial and/or Multiethnic (two or more races) | | | | | |
| Native Hawaiian or Pacific Islander | | | | | |
| White | | | | | |

| Age | Number of "probably yes" or "definitely yes" responses | Total number of responses | Percent of "probably yes" or "definitely yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|-------------------------------|---|----------------------------------|--|--|---|
| Age < 18 | | | | | |
| Age 18 to 34 | | | | | |
| Age 35 to 49 | | | | | |
| Age 50 to 64 | | | | | |
| Age 65 Years and Older | | | | | |

| Sex assigned at birth | Number of "probably yes" or "definitely yes" responses | Total number of responses | Percent of "probably yes" or "definitely yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|------------------------------|---|----------------------------------|--|--|---|
| Female | | | | | |
| Male | | | | | |
| Unknown | | | | | |

| Payer Type | Number of "probably yes" or "definitely yes" responses | Total number of responses | Percent of "probably yes" or "definitely yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|-------------------|---|----------------------------------|--|--|---|
| Medicare | | | | | |
| Medicaid | | | | | |
| Private | | | | | |
| Self-Pay | | | | | |
| Other | | | | | |

| Preferred Language | Number of "probably yes" or "definitely yes" responses | Total number of responses | Percent of "probably yes" or "definitely yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|---|---|----------------------------------|--|--|---|
| English Language | | | | | |
| Spanish Language | | | | | |
| Asian Pacific Islander Languages | | | | | |
| Middle Eastern Languages | | | | | |
| American Sign Language | | | | | |
| Other/Unknown Languages | | | | | |

| Disability Status | Number of "probably yes" or "definitely yes" responses | Total number of responses | Percent of "probably yes" or "definitely yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|--------------------------------------|---|----------------------------------|--|--|---|
| Does not have a disability | | | | | |
| Has a mobility disability | | | | | |
| Has a cognition disability | | | | | |
| Has a hearing disability | | | | | |
| Has a vision disability | | | | | |
| Has a self-care disability | | | | | |
| Has an independent living disability | | | | | |

| Sexual Orientation | Number of "probably yes" or "definitely yes" responses | Total number of responses | Percent of "probably yes" or "definitely yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|----------------------------|---|----------------------------------|--|--|---|
| Lesbian, gay or homosexual | | | | | |
| Straight or heterosexual | | | | | |
| Bisexual | | | | | |
| Something else | | | | | |
| Don't know | | | | | |
| Not disclosed | | | | | |

| Gender Identity | Number of "probably yes" or "definitely yes" responses | Total number of responses | Percent of "probably yes" or "definitely yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|--|---|----------------------------------|--|--|---|
| Female | | | | | |
| Female-to-male (FTM)/ transgender male/trans man | | | | | |
| Male | | | | | |
| Male-to-female (MTF)/ transgender female/trans woman | | | | | |
| Non-conforming gender | | | | | |
| Additional gender category or other | | | | | |
| Not disclosed | | | | | |

Patient Received Information in Writing

The second HCAHPS quality measure is the percentage of patients who reported receiving information in writing on symptoms and health problems to look out for after leaving the hospital. General acute care hospitals are required to provide the percentage of patient respondents who responded "yes" to being provided written information, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for these percentages. These percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 17.

Number of respondents who replied "yes" to HCAHPS Question 17, "During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the

hospital?"

2408
Total number of respondents to HCAHPS Question 17
2867

Percentage of respondents who responded "yes" to HCAHPS Question 17
84.0

Total number of people surveyed on HCAHPS Question 17
14335

Response rate, or the percentage of people who responded to HCAHPS Question 17
20.0

Table 4. Patient reports receiving information in writing about symptoms or health problems by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

| Race and/or Ethnicity | Number of "yes" responses | Total number of responses | Percentage of "yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|--|---------------------------|---------------------------|-----------------------------------|-----------------------------------|--|
| American Indian or Alaska Native | | | | | |
| Asian | | | | | |
| Black or African American | | | | | |
| Hispanic or Latino | | | | | |
| Middle Eastern or North African | | | | | |
| Multiracial and/or Multiethnic (two or more races) | | | | | |
| Native Hawaiian or Pacific Islander | | | | | |
| White | | | | | |

| Age | Number of "yes" responses | Total number of responses | Percentage of "yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|------------------------|---------------------------|---------------------------|-----------------------------------|-----------------------------------|--|
| Age < 18 | | | | | |
| Age 18 to 34 | | | | | |
| Age 35 to 49 | | | | | |
| Age 50 to 64 | | | | | |
| Age 65 Years and Older | | | | | |

| Sex assigned at birth | Number of "yes" responses | Total number of responses | Percentage of "yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|-----------------------|---------------------------|---------------------------|-----------------------------------|-----------------------------------|--|
| Female | | | | | |
| Male | | | | | |
| Unknown | | | | | |

| Payer Type | Number of "yes" responses | Total number of responses | Percentage of "yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|-------------------|----------------------------------|----------------------------------|--|--|---|
| Medicare | | | | | |
| Medicaid | | | | | |
| Private | | | | | |
| Self-Pay | | | | | |
| Other | | | | | |

| Preferred Language | Number of "yes" responses | Total number of responses | Percentage of "yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|----------------------------------|----------------------------------|----------------------------------|--|--|---|
| English Language | | | | | |
| Spanish Language | | | | | |
| Asian Pacific Islander Languages | | | | | |
| Middle Eastern Languages | | | | | |
| American Sign Language | | | | | |
| Other/Unknown Languages | | | | | |

| Disability Status | Number of "yes" responses | Total number of responses | Percentage of "yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|--------------------------------------|----------------------------------|----------------------------------|--|--|---|
| Does not have a disability | | | | | |
| Has a mobility disability | | | | | |
| Has a cognition disability | | | | | |
| Has a hearing disability | | | | | |
| Has a vision disability | | | | | |
| Has a self-care disability | | | | | |
| Has an independent living disability | | | | | |

| Sexual Orientation | Number of "yes" responses | Total number of responses | Percentage of "yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|----------------------------|----------------------------------|----------------------------------|--|--|---|
| Lesbian, gay or homosexual | | | | | |
| Straight or heterosexual | | | | | |
| Bisexual | | | | | |
| Something else | | | | | |
| Don't know | | | | | |
| Not disclosed | | | | | |

| Gender Identity | Number of "yes" responses | Total number of responses | Percentage of "yes" responses (%) | Total number of patients surveyed | Response rate of patients surveyed (%) |
|--|---------------------------|---------------------------|-----------------------------------|-----------------------------------|--|
| Female | | | | | |
| Female-to-male (FTM)/ transgender male/trans man | | | | | |
| Male | | | | | |
| Male-to-female (MTF)/ transgender female/trans woman | | | | | |
| Non-conforming gender | | | | | |
| Additional gender category or other | | | | | |
| Not disclosed | | | | | |

Agency for Healthcare Research and Quality (AHRQ) Indicators

General acute care hospitals are required to report on two indicators from the Agency for Healthcare Research and Quality (AHRQ). For general information about AHRQ indicators, please visit the following link by copying and pasting the URL into your web browser:

<https://qualityindicators.ahrq.gov/>

Pneumonia Mortality Rate

The Pneumonia Mortality Rate is defined as the rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission for patients ages 18 years and older. General acute care hospitals report the Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Inpatient Quality Indicator is 20. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:

https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_20_Pneumonia_Mortality_Rate.pdf

Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

32

Total number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

474

Rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

67.5

Table 5. Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

| Race and/or Ethnicity | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of hospital discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|---|--|---|--|
| American Indian or Alaska Native | | | |
| Asian | suppressed | suppressed | suppressed |
| Black or African American | suppressed | suppressed | suppressed |
| Hispanic or Latino | suppressed | suppressed | suppressed |
| Middle Eastern or North African | | | |
| Multiracial and/or Multiethnic (two or more races) | suppressed | suppressed | suppressed |
| Native Hawaiian or Pacific Islander | suppressed | suppressed | suppressed |
| White | 12 | 183 | 65.6 |

| Age | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of hospital discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|-------------------------------|--|---|--|
| Age < 18 | | | |
| Age 18 to 34 | suppressed | suppressed | suppressed |
| Age 35 to 49 | 0 | 31 | 0.0 |
| Age 50 to 64 | suppressed | suppressed | suppressed |
| Age 65 Years and Older | 28 | 357 | 78.4 |

| Sex assigned at birth | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of hospital discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|------------------------------|--|---|--|
| Female | 11 | 224 | 49.1 |
| Male | 21 | 250 | 84.0 |
| Unknown | | | |

| Payer Type | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of hospital discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|-------------------|--|---|--|
| Medicare | 27 | 360 | 75.0 |
| Medicaid | suppressed | suppressed | suppressed |
| Private | suppressed | suppressed | suppressed |
| Self-Pay | suppressed | suppressed | suppressed |
| Other | | | |

| Preferred Language | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of hospital discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|----------------------------------|--|---|--|
| English Language | suppressed | suppressed | suppressed |
| Spanish Language | suppressed | suppressed | suppressed |
| Asian Pacific Islander Languages | suppressed | suppressed | suppressed |
| Middle Eastern Languages | suppressed | suppressed | suppressed |
| American Sign Language | | | |
| Other/Unknown Languages | suppressed | suppressed | suppressed |

| Disability Status | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of hospital discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|--------------------------------------|--|---|--|
| Does not have a disability | | | |
| Has a mobility disability | | | |
| Has a cognition disability | | | |
| Has a hearing disability | | | |
| Has a vision disability | | | |
| Has a self-care disability | | | |
| Has an independent living disability | | | |

| Sexual Orientation | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of hospital discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|----------------------------|--|---|--|
| Lesbian, gay or homosexual | | | |
| Straight or heterosexual | | | |
| Bisexual | | | |
| Something else | | | |
| Don't know | | | |
| Not disclosed | | | |

| Gender Identity | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of hospital discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|--|--|---|--|
| Female | | | |
| Female-to-male (FTM)/ transgender male/trans man | | | |
| Male | | | |
| Male-to-female (MTF)/ transgender female/trans woman | | | |
| Non-conforming gender | | | |
| Additional gender category or other | | | |
| Not disclosed | | | |

Death Rate among Surgical Inpatients with Serious Treatable Complications

The Death Rate among Surgical Inpatients with Serious Treatable Complications is defined as the rate of in-hospital deaths per 1,000 surgical discharges among patients ages 18-89 years old or obstetric patients with serious treatable complications. General acute care hospitals report this measure by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Patient Safety Indicator is 04. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:
https://qualityindicators.ahrq.gov/Downloads/Modules/PSI/V2023/TechSpecs/PSI_04_Death_Rate_among_Surgical_Inpatients_with_Serious_Treatable_Complications.pdf

Number of in-hospital deaths among patients aged 18-89 years old or obstetric patients with serious treatable complications

21

Total number of surgical discharges among patients aged 18-89 years old or obstetric patients

84

Rate of in-hospital deaths per 1,000 surgical discharges, among patients aged 18-89 years old or obstetric patients with serious treatable complications

250.0

Table 6. Death Rate among Surgical Inpatients with Serious Treatable Complications by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

| Race and/or Ethnicity | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of surgical discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|--|---|--|---|
| American Indian or Alaska Native | | | |
| Asian | suppressed | suppressed | suppressed |
| Black or African American | suppressed | suppressed | suppressed |
| Hispanic or Latino | suppressed | suppressed | suppressed |
| Middle Eastern or North African | | | |
| Multiracial and/or Multiethnic (two or more races) | | | |
| Native Hawaiian or Pacific Islander | suppressed | suppressed | suppressed |
| White | suppressed | suppressed | suppressed |

| Age | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of surgical discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|------------------------|---|--|---|
| Age < 18 | | | |
| Age 18 to 34 | suppressed | suppressed | suppressed |
| Age 35 to 49 | suppressed | suppressed | suppressed |
| Age 50 to 64 | suppressed | suppressed | suppressed |
| Age 65 Years and Older | 14 | 47 | 297.9 |

| Sex assigned at birth | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of surgical discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|------------------------------|--|---|--|
| Female | suppressed | suppressed | suppressed |
| Male | suppressed | suppressed | suppressed |
| Unknown | | | |

| Payer Type | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of surgical discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|-------------------|--|---|--|
| Medicare | 12 | 45 | 266.7 |
| Medicaid | suppressed | suppressed | suppressed |
| Private | suppressed | suppressed | suppressed |
| Self-Pay | suppressed | suppressed | suppressed |
| Other | | | |

| Preferred Language | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of surgical discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|---|--|---|--|
| English Language | suppressed | suppressed | suppressed |
| Spanish Language | suppressed | suppressed | suppressed |
| Asian Pacific Islander Languages | suppressed | suppressed | suppressed |
| Middle Eastern Languages | | | |
| American Sign Language | | | |
| Other/Unknown Languages | suppressed | suppressed | suppressed |

| Disability Status | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of surgical discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|---|--|---|--|
| Does not have a disability | | | |
| Has a mobility disability | | | |
| Has a cognition disability | | | |
| Has a hearing disability | | | |
| Has a vision disability | | | |
| Has a self-care disability | | | |
| Has an independent living disability | | | |

| Sexual Orientation | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of surgical discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|-----------------------------------|--|---|--|
| Lesbian, gay or homosexual | | | |
| Straight or heterosexual | | | |
| Bisexual | | | |
| Something else | | | |
| Don't know | | | |
| Not disclosed | | | |

| Gender Identity | Number of in-hospital deaths that meet the inclusion/exclusion criteria | Number of surgical discharges that meet the inclusion/exclusion criteria | Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%) |
|--|---|--|---|
| Female | | | |
| Female-to-male (FTM)/ transgender male/trans man | | | |
| Male | | | |
| Male-to-female (MTF)/ transgender female/trans woman | | | |
| Non-conforming gender | | | |
| Additional gender category or other | | | |
| Not disclosed | | | |

California Maternal Quality Care Collaborative (CMQCC) Core Quality Measures

There are three core quality maternal measures adopted from the California Maternal Quality Care Collaborative (CMQCC).

CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate

The CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate is defined as nulliparous women with a term (at least 37 weeks gestation), singleton baby in a vertex position delivered by cesarian birth. General acute care hospitals report the NTSV Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cmqcc.org/quality-improvement-toolkits/supporting-vaginal-birth/ntsv-cesarean-birth-measure-specifications>

Number of NTSV patients with Cesarean deliveries

167

Total number of nulliparous NTSV patients

855

Rate of NTSV patients with Cesarean deliveries

0.195

Table 7. Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

| Race and/or Ethnicity | Number of NTSV patients with cesarean deliveries | Total number of NTSV patients | Rate of NTSV patients with Cesarean deliveries (%) |
|--|---|--------------------------------------|---|
| American Indian or Alaska Native | suppressed | suppressed | suppressed |
| Asian | suppressed | suppressed | suppressed |
| Black or African American | suppressed | suppressed | suppressed |
| Hispanic or Latino | suppressed | suppressed | suppressed |
| Middle Eastern or North African | | | |
| Multiracial and/or Multiethnic (two or more races) | suppressed | suppressed | suppressed |
| Native Hawaiian or Pacific Islander | suppressed | suppressed | suppressed |
| White | suppressed | suppressed | suppressed |

| Age | Number of NTSV patients with cesarean deliveries | Total number of NTSV patients | Rate of NTSV patients with Cesarean deliveries (%) |
|------------------------|---|--------------------------------------|---|
| Age < 18 | suppressed | suppressed | suppressed |
| Age 18 to 29 | suppressed | suppressed | suppressed |
| Age 30 to 39 | 109 | 559 | 0.195 |
| Age 40 Years and Older | suppressed | suppressed | suppressed |

| Sex assigned at birth | Number of NTSV patients with cesarean deliveries | Total number of NTSV patients | Rate of NTSV patients with Cesarean deliveries (%) |
|------------------------------|---|--------------------------------------|---|
| Female | | | |
| Male | | | |
| Unknown | | | |

| Payer Type | Number of NTSV patients with cesarean deliveries | Total number of NTSV patients | Rate of NTSV patients with Cesarean deliveries (%) |
|-------------------|---|--------------------------------------|---|
| Medicare | 0 | | |
| Medicaid | suppressed | suppressed | suppressed |
| Private | 153 | 780 | 0.196 |
| Self-Pay | suppressed | suppressed | suppressed |
| Other | 0 | | |

| Preferred Language | Number of NTSV patients with cesarean deliveries | Total number of NTSV patients | Rate of NTSV patients with Cesarean deliveries (%) |
|----------------------------------|---|--------------------------------------|---|
| English Language | suppressed | suppressed | suppressed |
| Spanish Language | suppressed | suppressed | suppressed |
| Asian Pacific Islander Languages | suppressed | suppressed | suppressed |
| Middle Eastern Languages | suppressed | suppressed | suppressed |
| American Sign Language | 0 | | |
| Other/Unknown Languages | suppressed | suppressed | suppressed |

| Disability Status | Number of NTSV patients with cesarean deliveries | Total number of NTSV patients | Rate of NTSV patients with Cesarean deliveries (%) |
|--------------------------------------|---|--------------------------------------|---|
| Does not have a disability | | | |
| Has a mobility disability | | | |
| Has a cognition disability | | | |
| Has a hearing disability | | | |
| Has a vision disability | | | |
| Has a self-care disability | | | |
| Has an independent living disability | | | |

| Sexual Orientation | Number of NTSV patients with cesarean deliveries | Total number of NTSV patients | Rate of NTSV patients with Cesarean deliveries (%) |
|----------------------------|---|--------------------------------------|---|
| Lesbian, gay or homosexual | | | |
| Straight or heterosexual | | | |
| Bisexual | | | |
| Something else | | | |
| Don't know | | | |
| Not disclosed | | | |

| Gender Identity | Number of NTSV patients with cesarean deliveries | Total number of NTSV patients | Rate of NTSV patients with Cesarean deliveries (%) |
|---|---|--------------------------------------|---|
| Female | | | |
| Female-to-male (FTM)/transgender male/trans man | | | |
| Male | | | |
| Male-to-female (MTF)/transgender female/trans woman | | | |
| Non-conforming gender | | | |
| Additional gender category or other | | | |
| Not disclosed | | | |

CMQCC Vaginal Birth After Cesarean (VBAC) Rate

The CMQCC Vaginal Birth After Cesarean (VBAC) Rate is defined as vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries. General acute care hospitals report the VBAC Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The VBAC Rate uses the specifications of AHRQ Inpatient Quality Indicator 22. For more information, please visit the following link by copying and pasting the URL into your web browser:

[https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_22_Vaginal_Birth_After_Cesarean_\(VBAC\)_Delivery_Rate_Uncomplicated.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_22_Vaginal_Birth_After_Cesarean_(VBAC)_Delivery_Rate_Uncomplicated.pdf)

Number of vaginal delivery among cases with previous Cesarean delivery that meet the inclusion and exclusion criteria

67

Total number of birth discharges with previous Cesarean delivery that meet the inclusion and exclusion criteria

Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries

269.1

Table 8. Vaginal Birth After Cesarean (VBAC) Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

| Race and/or Ethnicity | Number of vaginal deliveries with previous Cesarean delivery | Total number of birth discharges with previous Cesarean delivery | Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%) |
|---|---|---|--|
| American Indian or Alaska Native | 0 | | |
| Asian | suppressed | suppressed | suppressed |
| Black or African American | suppressed | suppressed | suppressed |
| Hispanic or Latino | suppressed | suppressed | suppressed |
| Middle Eastern or North African | | | |
| Multiracial and/or Multiethnic (two or more races) | suppressed | suppressed | suppressed |
| Native Hawaiian or Pacific Islander | suppressed | suppressed | suppressed |
| White | suppressed | suppressed | suppressed |
| Age | Number of vaginal deliveries with previous Cesarean delivery | Total number of birth discharges with previous Cesarean delivery | Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%) |
| Age < 18 | suppressed | suppressed | suppressed |
| Age 18 to 29 | suppressed | suppressed | suppressed |
| Age 30 to 39 | suppressed | suppressed | suppressed |
| Age 40 Years and Older | suppressed | suppressed | suppressed |
| Sex assigned at birth | Number of vaginal deliveries with previous Cesarean delivery | Total number of birth discharges with previous Cesarean delivery | Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%) |
| Female | | | |
| Male | | | |
| Unknown | | | |
| Payer Type | Number of vaginal deliveries with previous Cesarean delivery | Total number of birth discharges with previous Cesarean delivery | Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%) |
| Medicare | 0 | | |
| Medicaid | suppressed | suppressed | suppressed |
| Private | suppressed | suppressed | suppressed |
| Self-Pay | suppressed | suppressed | suppressed |
| Other | 0 | | |

| Preferred Language | Number of vaginal deliveries with previous Cesarean delivery | Total number of birth discharges with previous Cesarean delivery | Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%) |
|----------------------------------|---|---|--|
| English Language | suppressed | suppressed | suppressed |
| Spanish Language | suppressed | suppressed | suppressed |
| Asian Pacific Islander Languages | suppressed | suppressed | suppressed |
| Middle Eastern Languages | suppressed | suppressed | suppressed |
| American Sign Language | 0 | | |
| Other/Unknown Languages | suppressed | suppressed | suppressed |

| Disability Status | Number of vaginal deliveries with previous Cesarean delivery | Total number of birth discharges with previous Cesarean delivery | Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%) |
|--------------------------------------|---|---|--|
| Does not have a disability | | | |
| Has a mobility disability | | | |
| Has a cognition disability | | | |
| Has a hearing disability | | | |
| Has a vision disability | | | |
| Has a self-care disability | | | |
| Has an independent living disability | | | |

| Sexual Orientation | Number of vaginal deliveries with previous Cesarean delivery | Total number of birth discharges with previous Cesarean delivery | Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%) |
|----------------------------|---|---|--|
| Lesbian, gay or homosexual | | | |
| Straight or heterosexual | | | |
| Bisexual | | | |
| Something else | | | |
| Don't know | | | |
| Not disclosed | | | |

| Gender Identity | Number of vaginal deliveries with previous Cesarean delivery | Total number of birth discharges with previous Cesarean delivery | Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%) |
|---|---|---|--|
| Female | | | |
| Female-to-male (FTM)/transgender male/trans man | | | |
| Male | | | |
| Male-to-female (MTF)/transgender female/trans woman | | | |
| Non-conforming gender | | | |
| Additional gender category or other | | | |
| Not disclosed | | | |

CMQCC Exclusive Breast Milk Feeding Rate

The CMQCC Exclusive Breast Milk Feeding Rate is defined as the newborns per 100 who reached at least 37 weeks of gestation (or 3000g if gestational age is missing) who received breast milk

exclusively during their stay at the hospital. Other criteria are that the newborns did not go to the neonatal intensive care unit (NICU), transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia. General acute care hospitals report the Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The CMQCC Exclusive Breast Milk Feeding Rate uses the Joint Commission National Quality Measure PC-05. For more information, please visit the following link by copying and pasting the URL into your web browser:
<https://manual.jointcommission.org/releases/TJC2024B/MIF0170.html>

Number of newborn cases that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

1304

Total number of newborn cases born in the hospital that meet the inclusion and exclusion criteria

1870

Rate of newborn cases per 100 that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

69.7

Table 9. Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

| Race and/or Ethnicity | Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria | Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria | Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%) |
|--|---|---|--|
| American Indian or Alaska Native | suppressed | suppressed | suppressed |
| Asian | 280 | 427 | 65.6 |
| Black or African American | 185 | 279 | 66.3 |
| Hispanic or Latino | 262 | 400 | 65.5 |
| Middle Eastern or North African | | | |
| Multiracial and/or Multiethnic (two or more races) | suppressed | suppressed | suppressed |
| Native Hawaiian or Pacific Islander | suppressed | suppressed | suppressed |
| White | 450 | 590 | 76.3 |

| Age | Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria | Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria | Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%) |
|------------------------|---|---|--|
| Age < 18 | suppressed | suppressed | suppressed |
| Age 18 to 29 | 266 | 397 | 67.0 |
| Age 30 to 39 | 909 | 1274 | 71.4 |
| Age 40 Years and Older | suppressed | suppressed | suppressed |

| Sex assigned at birth | Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria | Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria | Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%) |
|------------------------------|--|--|---|
| Female | | | |
| Male | | | |
| Unknown | | | |

| Payer Type | Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria | Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria | Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%) |
|-------------------|--|--|---|
| Medicare | 0 | | |
| Medicaid | 156 | 252 | 61.9 |
| Private | 1143 | 1608 | 71.1 |
| Self-Pay | suppressed | suppressed | suppressed |
| Other | suppressed | suppressed | suppressed |

| Preferred Language | Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria | Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria | Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%) |
|----------------------------------|--|--|---|
| English Language | 1226 | 1732 | 70.8 |
| Spanish Language | suppressed | suppressed | suppressed |
| Asian Pacific Islander Languages | suppressed | suppressed | suppressed |
| Middle Eastern Languages | suppressed | suppressed | suppressed |
| American Sign Language | 0 | | |
| Other/Unknown Languages | suppressed | suppressed | suppressed |

| Disability Status | Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria | Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria | Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%) |
|--------------------------------------|--|--|---|
| Does not have a disability | | | |
| Has a mobility disability | | | |
| Has a cognition disability | | | |
| Has a hearing disability | | | |
| Has a vision disability | | | |
| Has a self-care disability | | | |
| Has an independent living disability | | | |

| Sexual Orientation | Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria | Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria | Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%) |
|----------------------------|--|--|---|
| Lesbian, gay or homosexual | | | |
| Straight or heterosexual | | | |
| Bisexual | | | |
| Something else | | | |
| Don't know | | | |
| Not disclosed | | | |

| Gender Identity | Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria | Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria | Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%) |
|---|--|--|---|
| Female | | | |
| Female-to-male (FTM)/transgender male/trans man | | | |
| Male | | | |
| Male-to-female (MTF)/transgender female/trans woman | | | |
| Non-conforming gender | | | |
| Additional gender category or other | | | |
| Not disclosed | | | |

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate

General acute care hospitals are required to report several HCAI All-Cause Unplanned 30-Day Hospital Readmission Rates, which are broadly defined as the percentage of hospital-level, unplanned, all-cause readmissions after admission for eligible conditions within 30 days of hospital discharge for patients aged 18 years and older. These rates are first stratified based on any eligible condition, mental health disorders, substance use disorders, co-occurring disorders, and no behavioral health diagnosis. Then, each condition-stratified hospital readmission rate is further stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information on the HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate, please visit the following link by copying and pasting the URL into your web browser:

https://hcai.ca.gov/wp-content/uploads/2024/10/HCAI-All-Cause-Readmission-Rate-Exclusions_ADA.pdf

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate – Any Eligible Condition

Number of inpatient hospital admissions which occurs within 30 days of the discharge date of an eligible index admission and were 18 years or older at time of admission

2124

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

14907

Rate of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition

within 30 days of hospital discharge for patients aged 18 and older

14.2

Table 10. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for any eligible condition by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

| Race and/or Ethnicity | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|---|---|--|-----------------------------|
| American Indian or Alaska Native | suppressed | suppressed | suppressed |
| Asian | 244 | 2106 | 11.6 |
| Black or African American | 757 | 4129 | 18.3 |
| Hispanic or Latino | 265 | 2339 | 11.3 |
| Middle Eastern or North African | | | |
| Multiracial and/or Multiethnic (two or more races) | suppressed | suppressed | suppressed |
| Native Hawaiian or Pacific Islander | 15 | 101 | 14.9 |
| White | 761 | 5489 | 13.9 |

| Age | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|-------------------------------|---|--|-----------------------------|
| Age 18 to 34 | 218 | 2108 | 10.3 |
| Age 35 to 49 | 208 | 2442 | 8.5 |
| Age 50 to 64 | 396 | 2667 | 14.8 |
| Age 65 Years and Older | 1302 | 7690 | 16.9 |

| Sex assigned at birth | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|------------------------------|---|--|-----------------------------|
| Female | 1094 | 8706 | 12.6 |
| Male | suppressed | suppressed | suppressed |
| Unknown | suppressed | suppressed | suppressed |

| Payer Type | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|-------------------|---|--|-----------------------------|
| Medicare | 1370 | 7737 | 17.7 |
| Medicaid | 258 | 1578 | 16.3 |
| Private | 470 | 5388 | 8.7 |
| Self-Pay | suppressed | suppressed | suppressed |
| Other | suppressed | suppressed | suppressed |

| Preferred Language | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|---|---|--|-----------------------------|
| English Language | 1904 | 13325 | 14.3 |
| Spanish Language | 115 | 862 | 13.3 |
| Asian Pacific Islander Languages | suppressed | suppressed | suppressed |
| Middle Eastern Languages | suppressed | suppressed | suppressed |
| American Sign Language | suppressed | suppressed | suppressed |
| Other/Unknown Languages | suppressed | suppressed | suppressed |

| Disability Status | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|--------------------------------------|---|--|-----------------------------|
| Does not have a disability | | | |
| Has a mobility disability | | | |
| Has a cognition disability | | | |
| Has a hearing disability | | | |
| Has a vision disability | | | |
| Has a self-care disability | | | |
| Has an independent living disability | | | |

| Sexual Orientation | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|----------------------------|---|--|-----------------------------|
| Lesbian, gay or homosexual | | | |
| Straight or heterosexual | | | |
| Bisexual | | | |
| Something else | | | |
| Don't know | | | |
| Not disclosed | | | |

| Gender Identity | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|---|---|--|-----------------------------|
| Female | | | |
| Female-to-male (FTM)/transgender male/trans man | | | |
| Male | | | |
| Male-to-female (MTF)/transgender female/trans woman | | | |
| Non-conforming gender | | | |
| Additional gender category or other | | | |
| Not disclosed | | | |

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Mental Health Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for mental health disorders and were 18 years or older at time of admission

491

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

3401

Rate of hospital-level, unplanned, all-cause readmissions after admission for mental health disorders within 30 days of hospital discharge for patients aged 18 and older

14.4

Table 11. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for mental health disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

| Race and/or Ethnicity | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|--|---------------------------------------|--|-----------------------------|
| American Indian or Alaska Native | suppressed | suppressed | suppressed |
| Asian | suppressed | suppressed | suppressed |
| Black or African American | suppressed | suppressed | suppressed |
| Hispanic or Latino | suppressed | suppressed | suppressed |
| Middle Eastern or North African | | | |
| Multiracial and/or Multiethnic (two or more races) | suppressed | suppressed | suppressed |
| Native Hawaiian or Pacific Islander | suppressed | suppressed | suppressed |
| White | suppressed | suppressed | suppressed |

| Age | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|------------------------|---------------------------------------|--|-----------------------------|
| Age 18 to 34 | suppressed | suppressed | suppressed |
| Age 35 to 49 | suppressed | suppressed | suppressed |
| Age 50 to 64 | suppressed | suppressed | suppressed |
| Age 65 Years and Older | suppressed | suppressed | suppressed |

| Sex assigned at birth | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|------------------------------|---------------------------------------|--|-----------------------------|
| Female | 308 | 2382 | 12.9 |
| Male | suppressed | suppressed | suppressed |
| Unknown | suppressed | suppressed | suppressed |

| Payer Type | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|-------------------|---------------------------------------|--|-----------------------------|
| Medicare | suppressed | suppressed | suppressed |
| Medicaid | suppressed | suppressed | suppressed |
| Private | suppressed | suppressed | suppressed |
| Self-Pay | suppressed | suppressed | suppressed |
| Other | suppressed | suppressed | suppressed |

| Preferred Language | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|----------------------------------|---------------------------------------|--|-----------------------------|
| English Language | suppressed | suppressed | suppressed |
| Spanish Language | suppressed | suppressed | suppressed |
| Asian Pacific Islander Languages | suppressed | suppressed | suppressed |
| Middle Eastern Languages | suppressed | suppressed | suppressed |
| American Sign Language | suppressed | suppressed | suppressed |
| Other/Unknown Languages | suppressed | suppressed | suppressed |

| Disability Status | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|--------------------------------------|---|--|-----------------------------|
| Does not have a disability | | | |
| Has a mobility disability | | | |
| Has a cognition disability | | | |
| Has a hearing disability | | | |
| Has a vision disability | | | |
| Has a self-care disability | | | |
| Has an independent living disability | | | |

| Sexual Orientation | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|----------------------------|---|--|-----------------------------|
| Lesbian, gay or homosexual | | | |
| Straight or heterosexual | | | |
| Bisexual | | | |
| Something else | | | |
| Don't know | | | |
| Not disclosed | | | |

| Gender Identity | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|---|---|--|-----------------------------|
| Female | | | |
| Female-to-male (FTM)/transgender male/trans man | | | |
| Male | | | |
| Male-to-female (MTF)/transgender female/trans woman | | | |
| Non-conforming gender | | | |
| Additional gender category or other | | | |
| Not disclosed | | | |

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Substance Use Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for substance use disorders and were 18 years or older at time of admission

176

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

951

Rate of hospital-level, unplanned, all-cause readmissions after admission for substance use disorders within 30 days of hospital discharge for patients aged 18 and older

18.5

Table 12. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for substance use disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

| Race and/or Ethnicity | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|--|---------------------------------------|--|-----------------------------|
| American Indian or Alaska Native | suppressed | suppressed | suppressed |
| Asian | suppressed | suppressed | suppressed |
| Black or African American | suppressed | suppressed | suppressed |
| Hispanic or Latino | suppressed | suppressed | suppressed |
| Middle Eastern or North African | | | |
| Multiracial and/or Multiethnic (two or more races) | suppressed | suppressed | suppressed |
| Native Hawaiian or Pacific Islander | suppressed | suppressed | suppressed |
| White | suppressed | suppressed | suppressed |

| Age | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|------------------------|---------------------------------------|--|-----------------------------|
| Age 18 to 34 | suppressed | suppressed | suppressed |
| Age 35 to 49 | suppressed | suppressed | suppressed |
| Age 50 to 64 | suppressed | suppressed | suppressed |
| Age 65 Years and Older | suppressed | suppressed | suppressed |

| Sex assigned at birth | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|------------------------------|---------------------------------------|--|-----------------------------|
| Female | suppressed | suppressed | suppressed |
| Male | suppressed | suppressed | suppressed |
| Unknown | | | |

| Payer Type | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|-------------------|---------------------------------------|--|-----------------------------|
| Medicare | suppressed | suppressed | suppressed |
| Medicaid | suppressed | suppressed | suppressed |
| Private | suppressed | suppressed | suppressed |
| Self-Pay | suppressed | suppressed | suppressed |
| Other | suppressed | suppressed | suppressed |

| Preferred Language | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|----------------------------------|---------------------------------------|--|-----------------------------|
| English Language | suppressed | suppressed | suppressed |
| Spanish Language | suppressed | suppressed | suppressed |
| Asian Pacific Islander Languages | suppressed | suppressed | suppressed |
| Middle Eastern Languages | | | |
| American Sign Language | | | |
| Other/Unknown Languages | suppressed | suppressed | suppressed |

| Disability Status | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|--------------------------------------|---|--|-----------------------------|
| Does not have a disability | | | |
| Has a mobility disability | | | |
| Has a cognition disability | | | |
| Has a hearing disability | | | |
| Has a vision disability | | | |
| Has a self-care disability | | | |
| Has an independent living disability | | | |

| Sexual Orientation | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|----------------------------|---|--|-----------------------------|
| Lesbian, gay or homosexual | | | |
| Straight or heterosexual | | | |
| Bisexual | | | |
| Something else | | | |
| Don't know | | | |
| Not disclosed | | | |

| Gender Identity | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|---|---|--|-----------------------------|
| Female | | | |
| Female-to-male (FTM)/transgender male/trans man | | | |
| Male | | | |
| Male-to-female (MTF)/transgender female/trans woman | | | |
| Non-conforming gender | | | |
| Additional gender category or other | | | |
| Not disclosed | | | |

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Co-occurring disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for co-occurring disorders and were 18 years or older at time of admission

119

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

692

Rate of hospital-level, unplanned, all-cause readmissions after admission for co-occurring disorders within 30 days of hospital discharge for patients aged 18 and older

17.2

Table 13. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for co-occurring disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

| Race and/or Ethnicity | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|--|---------------------------------------|--|-----------------------------|
| American Indian or Alaska Native | suppressed | suppressed | suppressed |
| Asian | suppressed | suppressed | suppressed |
| Black or African American | suppressed | suppressed | suppressed |
| Hispanic or Latino | suppressed | suppressed | suppressed |
| Middle Eastern or North African | | | |
| Multiracial and/or Multiethnic (two or more races) | suppressed | suppressed | suppressed |
| Native Hawaiian or Pacific Islander | suppressed | suppressed | suppressed |
| White | suppressed | suppressed | suppressed |

| Age | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|------------------------|---------------------------------------|--|-----------------------------|
| Age 18 to 34 | suppressed | suppressed | suppressed |
| Age 35 to 49 | suppressed | suppressed | suppressed |
| Age 50 to 64 | suppressed | suppressed | suppressed |
| Age 65 Years and Older | suppressed | suppressed | suppressed |

| Sex assigned at birth | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|------------------------------|---------------------------------------|--|-----------------------------|
| Female | suppressed | suppressed | suppressed |
| Male | suppressed | suppressed | suppressed |
| Unknown | suppressed | suppressed | suppressed |

| Payer Type | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|-------------------|---------------------------------------|--|-----------------------------|
| Medicare | suppressed | suppressed | suppressed |
| Medicaid | suppressed | suppressed | suppressed |
| Private | suppressed | suppressed | suppressed |
| Self-Pay | suppressed | suppressed | suppressed |
| Other | | | |

| Preferred Language | Number of inpatient admissions | Total number of admitted patients | Readmission rate (%) |
|----------------------------------|---------------------------------------|--|-----------------------------|
| English Language | suppressed | suppressed | suppressed |
| Spanish Language | suppressed | suppressed | suppressed |
| Asian Pacific Islander Languages | suppressed | suppressed | suppressed |
| Middle Eastern Languages | | | |
| American Sign Language | | | |
| Other/Unknown Languages | | | |

| Disability Status | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|--------------------------------------|---|--|-----------------------------|
| Does not have a disability | | | |
| Has a mobility disability | | | |
| Has a cognition disability | | | |
| Has a hearing disability | | | |
| Has a vision disability | | | |
| Has a self-care disability | | | |
| Has an independent living disability | | | |

| Sexual Orientation | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|----------------------------|---|--|-----------------------------|
| Lesbian, gay or homosexual | | | |
| Straight or heterosexual | | | |
| Bisexual | | | |
| Something else | | | |
| Don't know | | | |
| Not disclosed | | | |

| Gender Identity | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|---|---|--|-----------------------------|
| Female | | | |
| Female-to-male (FTM)/transgender male/trans man | | | |
| Male | | | |
| Male-to-female (MTF)/transgender female/trans woman | | | |
| Non-conforming gender | | | |
| Additional gender category or other | | | |
| Not disclosed | | | |

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - No Behavioral Health Diagnosis

Number of inpatient hospital admissions which occurs within 30 days of the discharge date with no behavioral diagnosis and were 18 years or older at time of admission

1338

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

9863

Rate of hospital-level, unplanned, all-cause readmissions after admission with no behavioral diagnosis within 30 days of hospital discharge for patients aged 18 and older

13.6

Table 14. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate with No Behavioral Diagnosis by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

| Race and/or Ethnicity | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|--|---|--|-----------------------------|
| American Indian or Alaska Native | suppressed | suppressed | suppressed |
| Asian | suppressed | suppressed | suppressed |
| Black or African American | suppressed | suppressed | suppressed |
| Hispanic or Latino | suppressed | suppressed | suppressed |
| Middle Eastern or North African | | | |
| Multiracial and/or Multiethnic (two or more races) | suppressed | suppressed | suppressed |
| Native Hawaiian or Pacific Islander | suppressed | suppressed | suppressed |
| White | suppressed | suppressed | suppressed |

| Age | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|------------------------|---|--|-----------------------------|
| Age 18 to 34 | suppressed | suppressed | suppressed |
| Age 35 to 49 | suppressed | suppressed | suppressed |
| Age 50 to 64 | suppressed | suppressed | suppressed |
| Age 65 Years and Older | suppressed | suppressed | suppressed |

| Sex assigned at birth | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|------------------------------|---|--|-----------------------------|
| Female | suppressed | suppressed | suppressed |
| Male | 675 | 4202 | 16.1 |
| Unknown | suppressed | suppressed | suppressed |

| Payer Type | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|-------------------|---|--|-----------------------------|
| Medicare | suppressed | suppressed | suppressed |
| Medicaid | suppressed | suppressed | suppressed |
| Private | suppressed | suppressed | suppressed |
| Self-Pay | suppressed | suppressed | suppressed |
| Other | suppressed | suppressed | suppressed |

| Preferred Language | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|----------------------------------|---|--|-----------------------------|
| English Language | suppressed | suppressed | suppressed |
| Spanish Language | suppressed | suppressed | suppressed |
| Asian Pacific Islander Languages | suppressed | suppressed | suppressed |
| Middle Eastern Languages | suppressed | suppressed | suppressed |
| American Sign Language | suppressed | suppressed | suppressed |
| Other/Unknown Languages | suppressed | suppressed | suppressed |

| Disability Status | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|--------------------------------------|---|--|-----------------------------|
| Does not have a disability | | | |
| Has a mobility disability | | | |
| Has a cognition disability | | | |
| Has a hearing disability | | | |
| Has a vision disability | | | |
| Has a self-care disability | | | |
| Has an independent living disability | | | |

| Sexual Orientation | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|----------------------------|---|--|-----------------------------|
| Lesbian, gay or homosexual | | | |
| Straight or heterosexual | | | |
| Bisexual | | | |
| Something else | | | |
| Don't know | | | |
| Not disclosed | | | |

| Gender Identity | Number of inpatient readmissions | Total number of admitted patients | Readmission rate (%) |
|---|---|--|-----------------------------|
| Female | | | |
| Female-to-male (FTM)/transgender male/trans man | | | |
| Male | | | |
| Male-to-female (MTF)/transgender female/trans woman | | | |
| Non-conforming gender | | | |
| Additional gender category or other | | | |
| Not disclosed | | | |

Health Equity Plan

All general acute care hospitals report a health equity plan that identifies the top 10 disparities and a written plan to address them.

Top 10 Disparities

Disparities for each hospital equity measure are identified by comparing the rate ratios by stratification groups. Rate ratios are calculated differently for measures with preferred low rates and those with preferred high rates. Rate ratios are calculated after applying the California Health and Human Services Agency's "Data De-Identification Guidelines (DDG)," dated September 23, 2016.

Table 15. Top 10 disparities and their rate ratio values.

| Measures | Stratifications | Stratification Group | Stratification Rate | Reference Group | Reference Rate | Rate Ratio |
|--|-----------------------------------|-------------------------------------|---------------------|--------------------|----------------|------------|
| HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate | Expected Payor | Medicare | 17.7 | Private | 8.7 | 2.0 |
| HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate | Age (excluding maternal measures) | 65 and older | 16.9 | 35 to 49 | 8.5 | 2.0 |
| HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate | Expected Payor | Medicaid | 16.3 | Private | 8.7 | 1.9 |
| HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate | Age (excluding maternal measures) | 50 to 64 | 14.8 | 35 to 49 | 8.5 | 1.7 |
| Agency for Healthcare Research and Quality (AHRQ) Quality Indicator Pneumonia Mortality Rate | Sex Assigned at Birth | Male | 84 | Female | 49.1 | 1.7 |
| HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate | Race and/or Ethnicity | Black or African American | 18.3 | Hispanic or Latino | 11.3 | 1.6 |
| HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate | Race and/or Ethnicity | Native Hawaiian or Pacific Islander | 14.9 | Hispanic or Latino | 11.3 | 1.3 |
| HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate | Race and/or Ethnicity | White | 13.9 | Hispanic or Latino | 11.3 | 1.2 |
| HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate | Age (excluding maternal measures) | 18 to 34 | 10.3 | 35 to 49 | 8.5 | 1.2 |
| CMQCC Exclusive Breast Milk Feeding | Race and/or Ethnicity | Hispanic or Latino | 65.5 | White | 76.3 | 1.2 |

Plan to address disparities identified in the data

Using insights from the Health Equity Report, Kaiser Foundation Hospital (KFH) Oakland and Richmond will identify populations disproportionately impacted by health disparities. Our goal is to reduce the HCAI all-cause unplanned 30-day hospital readmission rate by 10% within two years.

To support this objective, all readmissions are reviewed bi-weekly on Tuesday and Thursday by a multidisciplinary team to identify opportunities for improvement. Additionally, a monthly strategic meeting is held to review findings and opportunities from the bi-weekly readmissions review. KFH Oakland/Richmond provides patient education and care that is informed by Social Determinants of Health (SDOH) assessments, which include involvement from Social Services, access to culturally appropriate educational materials, and interpreter services as needed.

We have close partnerships with Alameda Alliance and Contra Costa Health plan to support our non-members and utilize data from the community payer/nonpayer dashboards to improve discharge quality and reduce readmissions. KFH Oakland/Richmond remains committed to strengthening partnerships with local service organizations and will continue to invest in culturally responsive workforce training to better serve our diverse patient population.

The Regional Age Friendly Hospital System (AFHS) Core Team will be leading and supporting all 21 KP NCAL facilities to achieve IHI AFHS Level 1 Recognition status by the end of 2025 and then IHI AFHS Level 2 Recognition status by the end of 2026. The team will also ensure that all facilities have protocols in place to affirmatively attest to receive full credit for all 5 Domains of the CMA AFHS Measure by May 2025. This will position our hospitals to consistently and reliably provide high-quality care to all hospitalized elderly patients.

Performance in the priority area

General acute care hospitals are required to provide hospital equity plans that address the top 10 disparities by identifying population impact and providing measurable objectives and specific timeframes. For each disparity, hospital equity plans will address performance across priority areas: person-centered care, patient safety, addressing patient social drivers of health, effective treatment, care coordination, and access to care.

Person-centered care

KFH Oakland/Richmond utilizes the HCAHPS survey to evaluate performance around person-centered care, with particular emphasis on ensuring patients understand their treatment plans and medications. KFH Oakland/Richmond is deeply committed to the implementation of age-friendly care, guided by the 4Ms framework: What Matters, Medication, Mentation, and Mobility. This commitment is supported through NICHE (Nurses Improving Care for Healthsystem Elders) training for frontline staff.

Our adult inpatient units adhere to IHI age-friendly health systems. Our Emergency Department follows Geriatric Emergency Department standards of care and is in the process of applying for GED accreditation through the American College of Emergency Physicians. The organization actively engages patients and families through advisory councils and includes patient advisors on several hospital-wide committees.

Patient safety

Patient safety events are systematically monitored through the Safety Priority Index (SPI), a structured reporting mechanism designed to promote continuous improvement and sustain organizational vigilance. The SPI encompasses eight key categories of patient safety events: surgical site infections (SSI), Clostridium difficile (C. diff) infections, falls resulting in any level of injury, hospital-acquired pneumonia (HAP), hospital-acquired pressure injuries (HAPI) stage 2 and above, catheter-associated urinary tract infection (CAUTI), central line-associated bloodstream infections (CLABSI), and c-section SSIs.

To foster a culture of safety and proactive communication, we conduct daily safety and quality huddles involving representatives from multiple hospital disciplines. These huddles serve as a platform to share the current state of hospital operations, identify high-risk patients, and potential barriers to patient care or safety. We focus daily on reducing harm by supporting components of our Early Recovery Medicine (ERM) programs which include early mobility, nutritional assessments, teeth brushing, and out of beds for meals.

Our commitment to High Reliability Organizational (HRO) training has actively integrated its principles into patient safety initiatives. This approach reinforces a commitment to zero harm and supports the development of resilient systems that prioritize safety at every level of care delivery.

Addressing patient social drivers of health

KFH Oakland/Richmond screens all admitted patients for social determinants of health (SDOH), including but not limited to factors such as food insecurity, housing instability, and transportation barriers. Patients who screen positive are referred to medical social workers to facilitate connections to appropriate resources across the continuum of care. KFH Oakland/Richmond utilizes the Kaiser Permanente Community Support Hub to assist our patients with resources to meet their needs. There is a plan to enhance the transition support level tool in 2026 to include SDOH in the clinical decision algorithm for stratifying patients at risk for needing follow-up after discharge.

Performance in the priority area continued

Performance across all of the following priority areas.

Effective treatment

KFH Oakland/Richmond actively participates in national quality improvement initiatives, including the CMS and The Joint Commission core measure programs, as well as the American Heart Association's Get With The Guidelines® programs for stroke, heart failure, and the primary stroke program. To promote consistent, evidence-based care, KFH Oakland/ Richmond implements standardized clinical pathways and order sets for high-impact conditions such as diabetes, hypertension, stroke, sepsis, congestive heart failure (CHF), and chronic obstructive pulmonary disease (COPD). Members with chronic conditions are enrolled in disease-specific management programs designed to monitor clinical status and support adherence to ongoing treatment plans.

Care coordination

KFH Oakland/Richmond implements a comprehensive transition of care program that includes medication reconciliation, discharge planning, and post-discharge follow-up calls to support safe and effective care continuity. Care coordination across inpatient, outpatient, and post-acute settings is facilitated through an integrated model involving case managers and care navigators. KFH Oakland/Richmond places a strong emphasis on engaging patients and their families in the development and execution of individualized care plans, ensuring that care is both patient-centered and aligned with best practices. An example of one of the programs recently implemented to mitigate preventable admissions/ readmissions includes the implementation of our Ambulatory Treatment Center (ATC). ATC utilization data is monitored, and cases are reviewed for successes and opportunities for improvement. The High Utilizer Program is a multidisciplinary approach that facilitates review of cases, design of care plans, and provision of resources to our patients who frequently utilize hospital services.

Access to care

KFH Oakland/Richmond receives monthly access reports across all departments to monitor performance and ensure timely care delivery. The "Initiate to Seen" (ITS) metric is tracked for 5, 10, and 15-day access targets, supporting continuous improvement in appointment availability. KFH Oakland/ Richmond consistently leads Northern California (NCAL) in access performance across several specialties.

Appointment & Advice Call Center (AACC) services are staffed by physicians and registered nurses who provide real-time clinical guidance to members. In many cases, patient concerns such as respiratory infections or urinary tract infections are resolved during the call, eliminating the need for an in-person visit. Translation services are available during these interactions to ensure equitable communication.

Methodology Guidelines

Did the hospital follow the methodology in the Measures Submission Guide? (Y/N)

Y