

Hospital Equity Measures Report

General Information

Report Type:	Hospital Equity Measures Report
Year:	2024
Hospital Name:	KAISER FOUNDATION HOSPITAL - FRESNO
Facility Type:	General Acute Care Hospital
Hospital HCAI ID:	106104062
Report Period:	01/01/2024 - 12/31/2024
Status:	Complete
Due Date:	11/29/2025
Last Updated:	01/19/2026
Hospital Location with Clean Water and Air:	N
Hospital Web Address for Equity Report:	https://tinyurl.com/KFH-FRS

Overview

Assembly Bill No. 1204 requires the Department of Health Care Access and Information (HCAI) to develop and administer a Hospital Equity Measures Reporting Program to collect and post summaries of key hospital performance and patient outcome data regarding sociodemographic information, including but not limited to age, sex, race/ethnicity, payor type, language, disability status, and sexual orientation and gender identity.

Hospitals (general acute, children's, and acute psychiatric) and hospital systems are required to annually submit their reports to HCAI. These reports contain summaries of each measure, the top 10 disparities, and the equity plans to address the identified disparities. HCAI is required to maintain a link on the HCAI website that provides access to the content of hospital equity measures reports and equity plans to the public. All submitted hospitals are required to post their reports on their websites, as well.

Laws and Regulations

For more information on Assembly Bill No. 1204, please visit the following link by copying and pasting the URL into your web browser:

https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=202120220AB1204

Hospital Equity Measures

Joint Commission Accreditation

General acute care hospitals are required to report three structural measures based on the Commission Accreditation's Health Care Disparities Reduction and Patient-Centered Communication Accreditation Standards. For more information on these measures, please visit the following link by copying and pasting the URL into your web browser:

<https://www.jointcommission.org/standards/r3-report/r3-report-issue-36-new-requirements-to-reduce>

-health-care-disparities/

The first two structural measures are scored as "yes" or "no"; the third structural measure comprises the percentages of patients by five categories of preferred languages spoken, in addition to one other/unknown language category.

Designate an individual to lead hospital health equity activities (Y = Yes, N = No).

Y

Provide documentation of policy prohibiting discrimination (Y = Yes, N = No).

Y

Number of patients that were asked their preferred language, five defined categories and one other/unknown languages category.

72279

Table 1. Summary of preferred languages reported by patients.

Languages	Number of patients who report preferring language	Total number of patients	Percentage of total patients who report preferring language (%)
English Language	67370	72279	93.2
Spanish Language	3850	72279	5.3
Asian Pacific Islander Languages	729	72279	1.0
Middle Eastern Languages	124	72279	0.2
American Sign Language	91	72279	0.1
Other Languages	115	72279	0.2

Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure

There are five domains that make up the CMS Hospital Commitment to HCHE measures. Each domain is scored as "yes" or "no." In order to score "yes," a general acute care hospital is required to confirm all the domain's attestations. Lack of one or more of the attestations results in a score of "no." For more information on the CMS Hospital Commitment to HCHE measures, please visit the following link by copying and pasting the URL into your web browser:

<https://data.cms.gov/provider-data/topics/hospitals/health-equity>

Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure Domain 1: Strategic Planning (Yes/No)

- Our hospital strategic plan identifies priority populations who currently experience health disparities.
- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital strategic plan outlines specific resources that have been dedicated to achieving our equity goals.
- Our hospital strategic plan describes our approach for engaging key stakeholders, such as community-based organizations.

Y

CMS HCHE Measure Domain 2: Data Collection (Yes/No)

- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.

- Our hospital has training for staff in culturally sensitive collection of demographics and/or social determinant of health information.
- Our hospital inputs demographic and/or social determinant of health information collected from patients into structured, interoperable data elements using a certified electronic health record (EHR) technology.

Y

CMS HCHE Measure Domain 3: Data Analysis (Yes/No)

- Our hospital stratifies key performance indicators by demographic and/or social determinants of health variables to identify equity gaps and includes this information in hospital performance dashboards.

Y

CMS HCHE Measure Domain 4: Quality Improvement (Yes/No)

- Our hospital participates in local, regional or national quality improvement activities focused on reducing health disparities.

Y

CMS HCHE Measure Domain 5: Leadership Engagement (Yes/No)

- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually reviews our strategic plan for achieving health equity.
- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually review key performance indicators stratified by demographic and/or social factors.

Y

Centers for Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH)

General acute care hospitals are required to report on rates of screenings and intervention rates among patients above 18 years old for five health related social needs (HRSN), which are food insecurity, housing instability, transportation problems, utility difficulties, and interpersonal safety. These rates are reported separately as being screened as positive for any of the five HRSNs, positive for each individual HRSN, and the intervention rate for each positively screened HRSN. For more information on the CMS SDOH, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cms.gov/priorities/innovation/key-concepts/social-drivers-health-and-health-related-social-needs>

Number of patients admitted to an inpatient hospital stay who are 18 years or older on the date of admission and are screened for all of the five HRSN

5474

Total number of patients who are admitted to a hospital inpatient stay and who are 18 years or older on the date of admission

7251

Rate of patients admitted for an inpatient hospital stay who are 18 years or older on the date of admission, were screened for an HRSN, and who screened positive for one or more of the HRSNs

75.5

Table 2. Positive screening rates and intervention rates for the five Health Related Social Needs of the Centers of Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH).

Social Driver of Health	Number of positive screenings	Rate of positive screenings (%)	Number of positive screenings who received intervention	Rate of positive screenings who received intervention (%)
Food Insecurity	60	1.1	0	
Housing Instability	44	0.8	0	
Transportation Problems	25	0.5	0	
Utility Difficulties	13	0.2	0	
Interpersonal Safety	12	0.2	0	

Core Quality Measures for General Acute Care Hospitals

There are two quality measures from the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey. For more information on the HCAHPS survey, please visit the following link by copying and pasting the URL into your web browser:

<https://hcahpsonline.org/en/survey-instruments/>

Patient Recommends Hospital

The first HCAHPS quality measure is the percentage of patients who would recommend the hospital to friends and family. For this measure, general acute care hospitals provide the percentage of patient respondents who responded "probably yes" or "definitely yes" to whether they would recommend the hospital, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for the percentages. The percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 19.

Number of respondents who replied "probably yes" or "definitely yes" to HCAHPS Question 19, "Would you recommend this hospital to your friends and family?"

1083

Total number of respondents to HCAHPS Question 19

1140

Percentage of total respondents who responded "probably yes" or "definitely yes" to HCAHPS Question 19

95.0

Total number of people surveyed on HCAHPS Question 19

6000

Response rate, or the percentage of people who responded to HCAHPS Question 19

19.0

Table 3. Patient recommends hospital by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
American Indian or Alaska Native					
Asian					
Black or African American					
Hispanic or Latino					
Middle Eastern or North African					
Multiracial and/or Multiethnic (two or more races)					
Native Hawaiian or Pacific Islander					
White					

Age	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Age < 18					
Age 18 to 34					
Age 35 to 49					
Age 50 to 64					
Age 65 Years and Older					

Sex assigned at birth	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female					
Male					
Unknown					

Payer Type	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Medicare					
Medicaid					
Private					
Self-Pay					
Other					

Preferred Language	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
English Language					
Spanish Language					
Asian Pacific Islander Languages					
Middle Eastern Languages					
American Sign Language					
Other/Unknown Languages					

Disability Status	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Does not have a disability					
Has a mobility disability					
Has a cognition disability					
Has a hearing disability					
Has a vision disability					
Has a self-care disability					
Has an independent living disability					

Sexual Orientation	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Lesbian, gay or homosexual					
Straight or heterosexual					
Bisexual					
Something else					
Don't know					
Not disclosed					

Gender Identity	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female					
Female-to-male (FTM)/ transgender male/trans man					
Male					
Male-to-female (MTF)/ transgender female/trans woman					
Non-conforming gender					
Additional gender category or other					
Not disclosed					

Patient Received Information in Writing

The second HCAHPS quality measure is the percentage of patients who reported receiving information in writing on symptoms and health problems to look out for after leaving the hospital. General acute care hospitals are required to provide the percentage of patient respondents who responded "yes" to being provided written information, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for these percentages. These percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 17.

Number of respondents who replied "yes" to HCAHPS Question 17, "During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the

hospital?"

980
Total number of respondents to HCAHPS Question 17
1140

Percentage of respondents who responded "yes" to HCAHPS Question 17
86.0

Total number of people surveyed on HCAHPS Question 17
6000

Response rate, or the percentage of people who responded to HCAHPS Question 17
19.0

Table 4. Patient reports receiving information in writing about symptoms or health problems by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
American Indian or Alaska Native					
Asian					
Black or African American					
Hispanic or Latino					
Middle Eastern or North African					
Multiracial and/or Multiethnic (two or more races)					
Native Hawaiian or Pacific Islander					
White					

Age	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Age < 18					
Age 18 to 34					
Age 35 to 49					
Age 50 to 64					
Age 65 Years and Older					

Sex assigned at birth	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female					
Male					
Unknown					

Payer Type	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Medicare					
Medicaid					
Private					
Self-Pay					
Other					

Preferred Language	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
English Language					
Spanish Language					
Asian Pacific Islander Languages					
Middle Eastern Languages					
American Sign Language					
Other/Unknown Languages					

Disability Status	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Does not have a disability					
Has a mobility disability					
Has a cognition disability					
Has a hearing disability					
Has a vision disability					
Has a self-care disability					
Has an independent living disability					

Sexual Orientation	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Lesbian, gay or homosexual					
Straight or heterosexual					
Bisexual					
Something else					
Don't know					
Not disclosed					

Gender Identity	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female					
Female-to-male (FTM)/ transgender male/trans man					
Male					
Male-to-female (MTF)/ transgender female/trans woman					
Non-conforming gender					
Additional gender category or other					
Not disclosed					

Agency for Healthcare Research and Quality (AHRQ) Indicators

General acute care hospitals are required to report on two indicators from the Agency for Healthcare Research and Quality (AHRQ). For general information about AHRQ indicators, please visit the following link by copying and pasting the URL into your web browser:

<https://qualityindicators.ahrq.gov/>

Pneumonia Mortality Rate

The Pneumonia Mortality Rate is defined as the rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission for patients ages 18 years and older. General acute care hospitals report the Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Inpatient Quality Indicator is 20. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:

https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_20_Pneumonia_Mortality_Rate.pdf

Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

21

Total number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

217

Rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

96.8

Table 5. Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander			
White	11	111	99.1

Age	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Age < 18			
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	0	15	0.0
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	18	150	120.0

Sex assigned at birth	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

Payer Type	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Medicare	18	158	113.9
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay			
Other			

Preferred Language	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
English Language	suppressed	suppressed	suppressed
Spanish Language	0	18	0.0
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages	suppressed	suppressed	suppressed
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female			
Female-to-male (FTM)/ transgender male/trans man			
Male			
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

Death Rate among Surgical Inpatients with Serious Treatable Complications

The Death Rate among Surgical Inpatients with Serious Treatable Complications is defined as the rate of in-hospital deaths per 1,000 surgical discharges among patients ages 18-89 years old or obstetric patients with serious treatable complications. General acute care hospitals report this measure by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Patient Safety Indicator is 04. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:
https://qualityindicators.ahrq.gov/Downloads/Modules/PSI/V2023/TechSpecs/PSI_04_Death_Rate_among_Surgical_Inpatients_with_Serious_Treatable_Complications.pdf

Number of in-hospital deaths among patients aged 18-89 years old or obstetric patients with serious treatable complications

suppressed

Total number of surgical discharges among patients aged 18-89 years old or obstetric patients

suppressed

Rate of in-hospital deaths per 1,000 surgical discharges, among patients aged 18-89 years old or obstetric patients with serious treatable complications

suppressed

Table 6. Death Rate among Surgical Inpatients with Serious Treatable Complications by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
American Indian or Alaska Native			
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander			
White	suppressed	suppressed	suppressed

Age	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Age < 18			
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

Sex assigned at birth	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

Payer Type	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Medicare	suppressed	suppressed	suppressed
Medicaid			
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other			

Preferred Language	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages	suppressed	suppressed	suppressed
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female			
Female-to-male (FTM)/ transgender male/trans man			
Male			
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

California Maternal Quality Care Collaborative (CMQCC) Core Quality Measures

There are three core quality maternal measures adopted from the California Maternal Quality Care Collaborative (CMQCC).

CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate

The CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate is defined as nulliparous women with a term (at least 37 weeks gestation), singleton baby in a vertex position delivered by cesarian birth. General acute care hospitals report the NTSV Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cmqcc.org/quality-improvement-toolkits/supporting-vaginal-birth/ntsv-cesarean-birth-measure-specifications>

Number of NTSV patients with Cesarean deliveries

139

Total number of nulliparous NTSV patients

574

Rate of NTSV patients with Cesarean deliveries

0.242

Table 7. Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	suppressed	suppressed	suppressed

Age	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Age < 18	suppressed	suppressed	suppressed
Age 18 to 29	suppressed	suppressed	suppressed
Age 30 to 39	suppressed	suppressed	suppressed
Age 40 Years and Older	suppressed	suppressed	suppressed

Sex assigned at birth	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Female			
Male			
Unknown			

Payer Type	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	132	531	0.249
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed

Preferred Language	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages	0		
American Sign Language	0		
Other/Unknown Languages	suppressed	suppressed	suppressed

Disability Status	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

CMQCC Vaginal Birth After Cesarean (VBAC) Rate

The CMQCC Vaginal Birth After Cesarean (VBAC) Rate is defined as vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries. General acute care hospitals report the VBAC Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The VBAC Rate uses the specifications of AHRQ Inpatient Quality Indicator 22. For more information, please visit the following link by copying and pasting the URL into your web browser:

[https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_22_Vaginal_Birth_After_Cesarean_\(VBAC\)_Delivery_Rate_Uncomplicated.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_22_Vaginal_Birth_After_Cesarean_(VBAC)_Delivery_Rate_Uncomplicated.pdf)

Number of vaginal delivery among cases with previous Cesarean delivery that meet the inclusion and exclusion criteria

62

Total number of birth discharges with previous Cesarean delivery that meet the inclusion and exclusion criteria

Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries

263.8

Table 8. Vaginal Birth After Cesarean (VBAC) Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	0		
White	suppressed	suppressed	suppressed
Age	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Age < 18	suppressed	suppressed	suppressed
Age 18 to 29	suppressed	suppressed	suppressed
Age 30 to 39	suppressed	suppressed	suppressed
Age 40 Years and Older	suppressed	suppressed	suppressed
Sex assigned at birth	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Female			
Male			
Unknown			
Payer Type	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Medicare	0		
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay	0		
Other	0		

Preferred Language	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages	0		
American Sign Language	0		
Other/Unknown Languages	suppressed	suppressed	suppressed

Disability Status	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

CMQCC Exclusive Breast Milk Feeding Rate

The CMQCC Exclusive Breast Milk Feeding Rate is defined as the newborns per 100 who reached at least 37 weeks of gestation (or 3000g if gestational age is missing) who received breast milk

exclusively during their stay at the hospital. Other criteria are that the newborns did not go to the neonatal intensive care unit (NICU), transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia. General acute care hospitals report the Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The CMQCC Exclusive Breast Milk Feeding Rate uses the Joint Commission National Quality Measure PC-05. For more information, please visit the following link by copying and pasting the URL into your web browser:
<https://manual.jointcommission.org/releases/TJC2024B/MIF0170.html>

Number of newborn cases that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

929

Total number of newborn cases born in the hospital that meet the inclusion and exclusion criteria

1315

Rate of newborn cases per 100 that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

70.6

Table 9. Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	130	246	52.8
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	490	672	72.9
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	0		
White	238	299	79.6

Age	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Age < 18	suppressed	suppressed	suppressed
Age 18 to 29	374	514	72.8
Age 30 to 39	517	741	69.8
Age 40 Years and Older	suppressed	suppressed	suppressed

Sex assigned at birth	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Female			
Male			
Unknown			

Payer Type	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Medicare	0		
Medicaid	suppressed	suppressed	suppressed
Private	861	1217	70.7
Self-Pay	suppressed	suppressed	suppressed
Other	0		

Preferred Language	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages	suppressed	suppressed	suppressed
American Sign Language	suppressed	suppressed	suppressed
Other/Unknown Languages	suppressed	suppressed	suppressed

Disability Status	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate

General acute care hospitals are required to report several HCAI All-Cause Unplanned 30-Day Hospital Readmission Rates, which are broadly defined as the percentage of hospital-level, unplanned, all-cause readmissions after admission for eligible conditions within 30 days of hospital discharge for patients aged 18 years and older. These rates are first stratified based on any eligible condition, mental health disorders, substance use disorders, co-occurring disorders, and no behavioral health diagnosis. Then, each condition-stratified hospital readmission rate is further stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information on the HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate, please visit the following link by copying and pasting the URL into your web browser:

https://hcai.ca.gov/wp-content/uploads/2024/10/HCAI-All-Cause-Readmission-Rate-Exclusions_ADA.pdf

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate – Any Eligible Condition

Number of inpatient hospital admissions which occurs within 30 days of the discharge date of an eligible index admission and were 18 years or older at time of admission

770

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

6762

Rate of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition

within 30 days of hospital discharge for patients aged 18 and older

11.4

Table 10. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for any eligible condition by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	46	579	7.9
Black or African American	58	425	13.6
Hispanic or Latino	237	2349	10.1
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	411	3205	12.8

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	78	1554	5.0
Age 35 to 49	85	961	8.8
Age 50 to 64	133	960	13.9
Age 65 Years and Older	474	3287	14.4

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	431	4442	9.7
Male	339	2320	14.6
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	507	3399	14.9
Medicaid	21	254	8.3
Private	236	3049	7.7
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	711	6308	11.3
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages	suppressed	suppressed	suppressed
American Sign Language	suppressed	suppressed	suppressed
Other/Unknown Languages	suppressed	suppressed	suppressed

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Mental Health Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for mental health disorders and were 18 years or older at time of admission

177

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

1461

Rate of hospital-level, unplanned, all-cause readmissions after admission for mental health disorders within 30 days of hospital discharge for patients aged 18 and older

12.1

Table 11. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for mental health disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient admissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	suppressed	suppressed	suppressed

Age	Number of inpatient admissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

Sex assigned at birth	Number of inpatient admissions	Total number of admitted patients	Readmission rate (%)
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

Payer Type	Number of inpatient admissions	Total number of admitted patients	Readmission rate (%)
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed

Preferred Language	Number of inpatient admissions	Total number of admitted patients	Readmission rate (%)
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages	suppressed	suppressed	suppressed
American Sign Language	suppressed	suppressed	suppressed
Other/Unknown Languages	suppressed	suppressed	suppressed

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Substance Use Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for substance use disorders and were 18 years or older at time of admission

31

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

220

Rate of hospital-level, unplanned, all-cause readmissions after admission for substance use disorders within 30 days of hospital discharge for patients aged 18 and older

14.1

Table 12. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for substance use disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander			
White	suppressed	suppressed	suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other			

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Co-occurring disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for co-occurring disorders and were 18 years or older at time of admission

18

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

147

Rate of hospital-level, unplanned, all-cause readmissions after admission for co-occurring disorders within 30 days of hospital discharge for patients aged 18 and older

12.2

Table 13. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for co-occurring disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	suppressed	suppressed	suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - No Behavioral Health Diagnosis

Number of inpatient hospital admissions which occurs within 30 days of the discharge date with no behavioral diagnosis and were 18 years or older at time of admission

544

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

4934

Rate of hospital-level, unplanned, all-cause readmissions after admission with no behavioral diagnosis within 30 days of hospital discharge for patients aged 18 and older

11.0

Table 14. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate with No Behavioral Diagnosis by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native	0	17	0.0
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	suppressed	suppressed	suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	298	3213	9.3
Male	246	1721	14.3
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages	suppressed	suppressed	suppressed
Middle Eastern Languages	suppressed	suppressed	suppressed
American Sign Language	suppressed	suppressed	suppressed
Other/Unknown Languages	suppressed	suppressed	suppressed

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

Health Equity Plan

All general acute care hospitals report a health equity plan that identifies the top 10 disparities and a written plan to address them.

Top 10 Disparities

Disparities for each hospital equity measure are identified by comparing the rate ratios by stratification groups. Rate ratios are calculated differently for measures with preferred low rates and those with preferred high rates. Rate ratios are calculated after applying the California Health and Human Services Agency's "Data De-Identification Guidelines (DDG)," dated September 23, 2016.

Table 15. Top 10 disparities and their rate ratio values.

Measures	Stratifications	Stratification Group	Stratification Rate	Reference Group	Reference Rate	Rate Ratio
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Age (excluding maternal measures)	65 and older	14.4	18 to 34	5.0	2.9
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Age (excluding maternal measures)	50 to 64	13.9	18 to 34	5.0	2.8
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Expected Payor	Medicare	14.9	Private	7.7	1.9
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Age (excluding maternal measures)	35 to 49	8.8	18 to 34	5.0	1.8
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Race and/or Ethnicity	Black or African American	13.6	Asian	7.9	1.7
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Race and/or Ethnicity	White	12.8	Asian	7.9	1.6
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate, stratified by behavioral health diagnosis (No Behavioral Health Diagnosis)	Sex Assigned at Birth	Male	14.3	Female	9.3	1.5
CMQCC Exclusive Breast Milk Feeding	Race and/or Ethnicity	American Indian or Alaska Native	52.8	White	79.6	1.5
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Sex Assigned at Birth	Male	14.6	Female	9.7	1.5
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Race and/or Ethnicity	Hispanic or Latino	10.1	Asian	7.9	1.3

Plan to address disparities identified in the data

Using the health equity report we will identify the impacted populations. We will reduce HCAI all-cause unplanned 30-day hospital readmissions by 10% within 2 years. We offer our patients culturally tailored patient education, we use interpreters as needed, we will continue to expand our community partnership and continue workforce training.

The Regional Age Friendly Hospital System (AFHS) Core Team will be leading and supporting all 21 KP NCAL facilities to achieve IHI AFHS Level 1 Recognition status by end of 2025 and then HI AFHS Level 2 Recognition status by end of 2026. The team will also ensure that all facilities have protocols in place to affirmatively attest to receive full credit for all 5 Domains of the CMA AFHS Measure by May 2025. This will position our hospitals to consistently and reliably provide high quality care to all hospitalized elderly patients.

Performance in the priority area

General acute care hospitals are required to provide hospital equity plans that address the top 10 disparities by identifying population impact and providing measurable objectives and specific timeframes. For each disparity, hospital equity plans will address performance across priority areas: person-centered care, patient safety, addressing patient social drivers of health, effective treatment, care coordination, and access to care.

Person-centered care

We use HCAHPS patient experience scores to assess our performance in person-centered care. We

are committed to implementation of age-friendly care (4Ms framework What Matters, Medication, Mentation, Mobility). We have patient and family advisory councils. We will continue to expand our shared decision-making tools.

We monitor patient safety events through a reporting system called Safety Priority Index (SPI). SPI is a comprehensive key performance indicator for Patient Safety. It was designed to encourage both continuous improvement and sustained vigilance. It is composed of eight types of patient safety events: All 554 C-Diff, Falls with any Injury, Hospital Acquired Pneumonia, Hospital Acquired Pressure Injuries Stage 2 and above, CAUTI, CLABSI, and C-Section 551. We participate in daily safety huddles. We have implemented high reliability training. We are a Just Culture. All patients admitted to the hospital undergo screening for social determinants of health. We refer those patients who screen positive to MSWs. We partner with community-based organizations. We use ICD-10 Z-codes to document SDOH needs.

Patient safety

We monitor patient safety events through a reporting system called Safety Priority Index (SPI). SPI is a comprehensive key performance indicator for Patient Safety. It was designed to encourage both continuous improvement and sustained vigilance. It is composed of eight types of patient safety events: All SSI, C-Diff Falls with any Injury, Hospital Acquired Pneumonia, Hospital Acquired Pressure Injuries Stage 2 and above, CAUTI, CLABSI, and C- Section SR We participate in daily safety huddles. We have implemented high reliability training We are a Just Culture. All patients admitted to the hospital undergo screening for social determinants of health. We refer those patients who screen positive to MSWs. We partner with community-based organizations. We use ICD-10 Z-codes to document SDOH needs.

Addressing patient social drivers of health

All patients admitted to the hospital undergo screening for social determinants of health. We refer those patients who screen positive to MSWs. We partner with community-based organizations. We use ICD-10 Z-codes to document SDOH needs. We participate in the CMS and The Joint Commission core measures. We participate in the American Heart Association Get With The Guidelines stroke coronary artery disease, heart failure, and comprehensive stroke programs. We have clinical pathways for chronic diseases like diabetes, hypertension, CHF, and COPD. We have medication adherence programs. Our transition of care programs includes medication reconciliation, discharge planning, and follow-up calls. We integrate inpatient, outpatient, and post-acute care through case managers and care navigators. We monitor appointment wait times, after-hours access and telehealth. We have language access services.

Performance in the priority area continued

Performance across all of the following priority areas.

Effective treatment

At Kaiser Permanente, California, we deliver evidence-based, timely, and person-centered care rooted in national quality standards, clinical guidelines, and a culture of continuous improvement.

A core element of our approach is timely post-hospital follow-up—patients are seen virtually or in person within seven days of discharge to optimize therapy, complete labs, and ensure medication adherence. This early engagement helps stabilize patients, close care gaps, and reduces readmissions.

Our chronic condition management programs for hypertension, diabetes, and heart failure include medication management, remote monitoring, and personalized coaching to improve control, prevent complications, and promote long-term wellness.

Key Strategies for Effective Treatment

Evidence-Based Clinical Pathways: Standardized protocols for conditions such as sepsis, heart failure, stroke, diabetes, and COPD ensure consistent, high-quality care and reduce variation.

Timely Access to Care: Rapid access to diagnostics, specialty consultations, and follow-ups—especially after discharge—supports early intervention and smooth transitions.

Integrated Care Teams: Interdisciplinary teams of physicians, nurses, pharmacists, care coordinators, and social workers collaborate to create individualized care plans that strengthen decision-making and treatment adherence.

Chronic Disease Management: Patients receive education, self-management tools, remote monitoring, and regular follow-ups to prevent exacerbations and improve outcomes.

Medication Optimization: Comprehensive reconciliation and pharmacist-led reviews reduce adverse drug events, enhance adherence, and maximize therapeutic effectiveness.

Measurable Outcomes

Strong performance on national metrics, including HEDIS, CMS Core Measures, and Hospital Compare indicators.

Sustained reductions in readmissions, emergency visits, and length of stay for targeted conditions.

Improved patient-reported outcomes in symptom control, function, and treatment understanding.

Care coordination

Standardized Transition Pathways: Evidence-based protocols include inpatient education, discharge planning, post-discharge outreach, and follow-up within seven days to close care gaps and reduce adverse events.

Risk Stratification & EHR Integration: The EHR identifies high-risk patients and provides decision-support prompts to guide timely, consistent, and personalized interventions.

Interdisciplinary Care Teams: Physicians, nurses, care managers, social workers, pharmacists, and community health workers collaborate to address medical, behavioral, and social needs through a coordinated approach.

Patient & Family Engagement: Patients and families are actively involved in care planning through shared decision-making, transparent communication, and tailored education to enhance understanding, adherence, and satisfaction.

Addressing Social Determinants of Health: Teams screen for social needs and connect patients to resources for housing, food, transportation, and other essential services.

Technology & Virtual Care: Telehealth, remote monitoring, and digital tools maintain continuous patient contact, enabling early intervention and expanded access.

Outcomes and Impact

Our coordinated care model have driven measurable improvements, including reduced avoidable readmissions and emergency visits, higher patient satisfaction, and timely follow-up care. EHR-enabled workflows and transparent data sharing foster accountability across teams. By integrating social needs, screening and support, we advance health equity and reduce disparities in both access and outcomes.

Access to care

At Kaiser Permanente, we are committed to ensuring timely and equitable access to care by removing traditional barriers and enhancing patient convenience across the care continuum. Our approach focuses on proactive planning, technology-driven solutions, and seamless care transitions to deliver the right care, at the right time, and in the right setting.

We strengthen access through virtual post-hospital appointments and care management visits, reducing challenges related to transportation and scheduling while guaranteeing timely follow-up. Before discharge, we confirm primary care provider assignments and schedule follow-up visits, creating a clear, reliable pathway for ongoing care. This advanced coordination helps prevent care delays and supports smoother transitions.

Furthermore, warm handoffs to Home Health services and community-based resources help patients effectively manage their recovery and address non-clinical needs like social support, transportation, and housing. By linking clinical care with community services, we close gaps that could otherwise hinder recovery and negatively impact health outcomes.

These integrated efforts enhance convenience, close critical care gaps, and increase patient engagement during vulnerable transition periods. Our success is demonstrated by lower no-show rates, faster follow-up after discharge, and positive patient feedback on accessibility and care coordination.

Methodology Guidelines

Did the hospital follow the methodology in the Measures Submission Guide? (Y/N)

Y