

Hospital Equity Measures Report

General Information

Report Type:	Hospital Equity Measures Report
Year:	2024
System Name:	Pipeline Health System
Principal Hospital Type:	General Acute Care Hospital
Associated Hospitals:	

Facility Name	Facility Type	HCAI ID	Address
COAST PLAZA HOSPITAL	General Acute Care Hospital	106190766	13100 STUDEBAKER ROAD, NORWALK, CA 90650
COMMUNITY HOSPITAL OF HUNTINGTON PARK	General Acute Care Hospital	106190197	2623 EAST SLAUSON AVENUE, HUNTINGTON
EAST LOS ANGELES DOCTORS HOSPITAL	General Acute Care Hospital	106190256	4060 WHITTIER BOULEVARD, LOS ANGELES, CA 90023
MEMORIAL HOSPITAL OF GARDENA	General Acute Care Hospital	106190521	1145 W. REDONDO BEACH BLVD., GARDENA, CA 90247

Status:	Complete
Due Date:	11/29/2025
Last Updated:	03/05/2026
Hospital Web Address for Equity Report:	www.pipelinehealth.us

Overview

Assembly Bill No. 1204 requires the Department of Health Care Access and Information (HCAI) to develop and administer a Hospital Equity Measures Reporting Program to collect and post summaries of key hospital performance and patient outcome data regarding sociodemographic information, including but not limited to age, sex, race/ethnicity, payor type, language, disability status, and sexual orientation and gender identity.

Hospitals (general acute, children's, and acute psychiatric) and hospital systems are required to annually submit their reports to HCAI. These reports contain summaries of each measure, the top 10 disparities, and the equity plans to address the identified disparities. HCAI is required to maintain a link on the HCAI website that provides access to the content of hospital equity measures reports and equity plans to the public. All submitted hospitals are required to post their reports on their websites, as well.

Laws and Regulations

For more information on Assembly Bill No. 1204, please visit the following link by copying and pasting the URL into your web browser:
https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=202120220AB1204

Hospital Equity Measures

Joint Commission Accreditation

General acute care hospitals are required to report three structural measures based on the Commission Accreditation's Health Care Disparities Reduction and Patient-Centered Communication Accreditation Standards. For more information on these measures, please visit the following link by copying and pasting the URL into your web browser:
<https://www.jointcommission.org/standards/r3-report/r3-report-issue-36-new-requirements-to-reduce-health-care-disparities/>

The first two structural measures are scored as "yes" or "no"; the third structural measure comprises the percentages of patients by five categories of preferred languages spoken, in addition to one other/unknown language category.

Designate an individual to lead hospital health equity activities (Y = Yes, N = No).
Y

Provide documentation of policy prohibiting discrimination (Y = Yes, N = No).
Y

Number of patients that were asked their preferred language, five defined categories and one other/unknown languages category.
116692

Table 1. Summary of preferred languages reported by patients.

Languages	Number of patients who report preferring language	Total number of patients	Percentage of total patients who report preferring language (%)
English Language	79230	116692	67.9
Spanish Language	36681	116692	31.4
Asian Pacific Islander Languages	314	116692	0.3
Middle Eastern Languages	Suppressed	116692	Suppressed
American Sign Language	Suppressed	116692	Suppressed
Other Languages	438	116692	0.4

Centers for Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH)

General acute care hospitals are required to report on rates of screenings and intervention rates among patients above 18 years old for five health related social needs (HRSN), which are food insecurity, housing instability, transportation problems, utility difficulties, and interpersonal safety. These rates are reported separately as being screened as positive for any of the five HRSNs, positive for each individual HRSN, and the intervention rate for each positively screened HRSN. For more information on the CMS SDOH, please visit the following link by copying and pasting the URL into your web browser:
<https://www.cms.gov/priorities/innovation/key-concepts/social-drivers-health-and-health-related-social-needs>

Number of patients admitted to an inpatient hospital stay who are 18 years or older on the date of admission and are screened for all of the five HRSN

2107

Total number of patients who are admitted to a hospital inpatient stay and who are 18 years or older on the date of admission

10502

Rate of patients admitted for an inpatient hospital stay who are 18 years or older on the date of admission, were screened for an HRSN, and who screened positive for one or more of the HRSNs

20.1

Table 2. Positive screening rates and intervention rates for the five Health Related Social Needs of the Centers of Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH).

Social Driver of Health	Number of positive screenings	Rate of positive screenings (%)	Number of positive screenings who received intervention	Rate of positive screenings who received intervention (%)
Food Insecurity	202	10		
Housing Instability	302	14		
Transportation Problems	260	12		
Utility Difficulties	175	8		
Interpersonal Safety	20	1		

Core Quality Measures for General Acute Care Hospitals

There are two quality measures from the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey. For more information on the HCAHPS survey, please visit the following link by copying and pasting the URL into your web browser:

<https://hcahpsonline.org/en/survey-instruments/>

Patient Recommends Hospital

The first HCAHPS quality measure is the percentage of patients who would recommend the hospital to friends and family. For this measure, general acute care hospitals provide the percentage of patient respondents who responded "probably yes" or "definitely yes" to whether they would recommend the hospital, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for the percentages. The percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 19.

Number of respondents who replied "probably yes" or "definitely yes" to HCAHPS Question 19, "Would you recommend this hospital to your friends and family?"

656

Total number of respondents to HCAHPS Question 19

852

Percentage of total respondents who responded "probably yes" or "definitely yes" to HCAHPS Question 19

77

Total number of people surveyed on HCAHPS Question 19

899

Response rate, or the percentage of people who responded to HCAHPS Question 19

Table 3. Patient recommends hospital by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed		
Asian	45	55	81.8		
Black or African American	119	175	68		
Hispanic or Latino	232	277	83.8		
Middle Eastern or North African					
Multiracial and/or Multiethnic (two or more races)					
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed		
White	44	74	59.5		

Age	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Age < 18					
Age 18 to 34	41	57	71.9	58	98.3
Age 35 to 49	86	113	76.1	114	99.1
Age 50 to 64	192	253	75.9	265	95.5
Age 65 Years and Older	338	431	78.4	462	93.3

Sex assigned at birth	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female	350	470	74.5	496	94.8
Male	306	382	80.1	403	94.8
Unknown					

Payer Type	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Medicare	217	284	76.4	300	94.7
Medicaid	380	491	77.4	518	94.8
Private	45	62	72.6	64	96.9
Self-Pay	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Other	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed

Preferred Language	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
English Language	330	480	68.8	505	95
Spanish Language	Suppressed	Suppressed	Suppressed	383	94.8
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Middle Eastern Languages					
American Sign Language					
Other/Unknown Languages					

Disability Status	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Does not have a disability					
Has a mobility disability					
Has a cognition disability					
Has a hearing disability					
Has a vision disability					
Has a self-care disability					
Has an independent living disability					

Sexual Orientation	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Lesbian, gay or homosexual					
Straight or heterosexual					
Bisexual					
Something else					
Don't know					
Not disclosed					

Gender Identity	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female					
Female-to-male (FTM)/ transgender male/trans man					
Male					
Male-to-female (MTF)/ transgender female/trans					
Non-conforming gender					
Additional gender category or other					
Not disclosed					

Patient Received Information in Writing

The second HCAHPS quality measure is the percentage of patients who reported receiving information in writing on symptoms and health problems to look out for after leaving the hospital. General acute care hospitals are required to provide the percentage of patient respondents who responded "yes" to being provided written information, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for these percentages. These percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 17.

Number of respondents who replied "yes" to HCAHPS Question 17, "During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the hospital?"

616

Total number of respondents to HCAHPS Question 17

765

Percentage of respondents who responded "yes" to HCAHPS Question 17

80.5

Total number of people surveyed on HCAHPS Question 17

899

Response rate, or the percentage of people who responded to HCAHPS Question 17

85.1

Table 4. Patient reports receiving information in writing about symptoms or health problems by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed		
Asian	45	52	86.5		
Black or African American	105	146	71.9		
Hispanic or Latino	219	257	85.2		
Middle Eastern or North African					
Multiracial and/or Multiethnic (two or more races)					
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed		
White	45	63	71.4		

Age	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Age < 18					
Age 18 to 34	45	53	84.9	58	91.4
Age 35 to 49	89	104	85.6	114	91.2
Age 50 to 64	191	234	81.6	265	88.3
Age 65 Years and Older	293	376	77.9	462	81.4

Sex assigned at birth	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female	333	423	78.7	496	85.3
Male	283	342	82.7	403	84.9
Unknown					

Payer Type	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Medicare	196	250	78.4	300	83.3
Medicaid	360	444	81.1	518	85.7
Private	47	56	83.9	64	87.5
Self-Pay	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed
Other	Suppressed	Suppressed	Suppressed	Suppressed	Suppressed

Preferred Language	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
English Language	313	416	75.2	505	82.4
Spanish Language	298	341	87.4	383	89
Asian Pacific Islander Languages					
Middle Eastern Languages					
American Sign					
Other/Unknown Languages					

Disability Status	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Does not have a disability					
Has a mobility disability					
Has a cognition					
Has a hearing disability					
Has a vision disability					
Has a self-care					
Has an independent living disability					

Sexual Orientation	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Lesbian, gay or homosexual					
Straight or heterosexual					
Bisexual					
Something else					
Don't know					
Not disclosed					

Gender Identity	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female					
Female-to-male (FTM)/ transgender male/trans man					
Male					
Male-to-female (MTF)/ transgender female/trans woman					
Non-conforming gender					
Additional gender category or other					
Not disclosed					

Agency for Healthcare Research and Quality (AHRQ) Indicators

General acute care hospitals are required to report on two indicators from the Agency for Healthcare Research and Quality (AHRQ). For general information about AHRQ indicators, please visit the following link by copying and pasting the URL into your web browser:
<https://qualityindicators.ahrq.gov/>

Pneumonia Mortality Rate

The Pneumonia Mortality Rate is defined as the rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission for patients ages 18 years and older. General acute care hospitals report the Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Inpatient Quality Indicator is 20. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:
https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_20_Pneumonia_Mortality_Rate.pdf

Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

59

Total number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

911

Rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

64.8

Table 5. Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed
Asian	Suppressed	Suppressed	Suppressed
Black or African American	16	216	74.1
Hispanic or Latino	25	441	56.7
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more)			
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed
White	11	152	72.4

Age	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Age < 18			
Age 18 to 34	Suppressed	Suppressed	Suppressed
Age 35 to 49	Suppressed	Suppressed	Suppressed
Age 50 to 64	11	146	75.3
Age 65 Years and Older	39	561	69.5

Sex assigned at birth	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female	21	429	49
Male	38	482	78.8
Unknown			

Payer Type	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Medicare	39	453	86.1
Medicaid	15	411	36.5
Private	Suppressed	Suppressed	Suppressed
Self-Pay	Suppressed	Suppressed	Suppressed
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
English Language	44	645	68.2
Spanish Language	15	263	57
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages	Suppressed	Suppressed	Suppressed

Disability Status	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female			
Female-to-male (FTM)/ transgender male/trans man			
Male			
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

Death Rate among Surgical Inpatients with Serious Treatable Complications

The Death Rate among Surgical Inpatients with Serious Treatable Complications is defined as the rate of in-hospital deaths per 1,000 surgical discharges among patients ages 18-89 years old or obstetric patients with serious treatable complications. General acute care hospitals report this measure by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Patient Safety Indicator is 04. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:

https://qualityindicators.ahrq.gov/Downloads/Modules/PSI/V2023/TechSpecs/PSI_04_Death_Rate_among_Surgical_Inpatients_with_Serious_Treatable_Complications.pdf

Number of in-hospital deaths among patients aged 18-89 years old or obstetric patients with serious treatable complications

Suppressed

Total number of surgical discharges among patients aged 18-89 years old or obstetric patients

Suppressed

Rate of in-hospital deaths per 1,000 surgical discharges, among patients aged 18-89 years old or obstetric patients with serious treatable complications

Suppressed

Table 6. Death Rate among Surgical Inpatients with Serious Treatable Complications by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
American Indian or Alaska Native			
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more)			
Native Hawaiian or Pacific Islander			
White	Suppressed	Suppressed	Suppressed

Age	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Age < 18			
Age 18 to 34	Suppressed	Suppressed	Suppressed
Age 35 to 49	Suppressed	Suppressed	Suppressed
Age 50 to 64	Suppressed	Suppressed	Suppressed
Age 65 Years and Older	Suppressed	Suppressed	Suppressed

Sex assigned at birth	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Unknown			

Payer Type	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay			
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female			
Female-to-male (FTM)/ transgender male/trans man			
Male			
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

California Maternal Quality Care Collaborative (CMQCC) Core Quality Measures

There are three core quality maternal measures adopted from the California Maternal Quality Care Collaborative (CMQCC).

CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate

The CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate is defined as nulliparous women with a term (at least 37 weeks gestation), singleton baby in a vertex position delivered by cesarian birth. General acute care hospitals report the NTSV Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cmqcc.org/quality-improvement-toolkits/supporting-vaginal-birth/ntsv-cesarean-birth-measure-specifications>

Number of NTSV patients with Cesarean deliveries

57

Total number of nulliparous NTSV patients

149

Rate of NTSV patients with Cesarean deliveries

0.38

Table 7. Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	43	125	0.34
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed
White	Suppressed	Suppressed	Suppressed

Age	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Age < 18	Suppressed	Suppressed	Suppressed
Age 18 to 29	40	107	0.37
Age 30 to 39	Suppressed	Suppressed	Suppressed
Age 40 Years and Older	Suppressed	Suppressed	Suppressed

Sex assigned at birth	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Female			
Male			
Unknown			

Payer Type	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Medicare			
Medicaid	51	123	0.41
Private			
Self-Pay	Suppressed	Suppressed	Suppressed
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
English Language	32	71	0.45
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of NTSV patients with cesarean deliveries	Total number of NTSV patients	Rate of NTSV patients with Cesarean deliveries (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

CMQCC Vaginal Birth After Cesarean (VBAC) Rate

The CMQCC Vaginal Birth After Cesarean (VBAC) Rate is defined as vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries. General acute care hospitals report the VBAC Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The VBAC Rate uses the specifications of AHRQ Inpatient Quality Indicator 22. For more information, please visit the following link by copying and pasting the URL into your web browser:

[https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_22_Vaginal_Birth_After_Cesarean_\(VBAC\)_Delivery_Rate_Uncomplicated.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_22_Vaginal_Birth_After_Cesarean_(VBAC)_Delivery_Rate_Uncomplicated.pdf)

Number of vaginal delivery among cases with previous Cesarean delivery that meet the inclusion and exclusion criteria

Suppressed

Total number of birth discharges with previous Cesarean delivery that meet the inclusion and exclusion criteria

Suppressed

Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries

Suppressed

Table 8. Vaginal Birth After Cesarean (VBAC) Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
American Indian or Alaska Native			
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific			
White	Suppressed	Suppressed	Suppressed

Age	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Age < 18			
Age 18 to 29	Suppressed	Suppressed	Suppressed
Age 30 to 39	Suppressed	Suppressed	Suppressed
Age 40 Years and Older	Suppressed	Suppressed	Suppressed

Sex assigned at birth	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Female			
Male			
Unknown			

Payer Type	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private			
Self-Pay	Suppressed	Suppressed	Suppressed
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living			

Sexual Orientation	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of vaginal deliveries with previous Cesarean delivery	Total number of birth discharges with previous Cesarean delivery	Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or			
Not disclosed			

CMQCC Exclusive Breast Milk Feeding Rate

The CMQCC Exclusive Breast Milk Feeding Rate is defined as the newborns per 100 who reached at least 37 weeks of gestation (or 3000g if gestational age is missing) who received breast milk

exclusively during their stay at the hospital. Other criteria are that the newborns did not go to the neonatal intensive care unit (NICU), transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia. General acute care hospitals report the Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The CMQCC Exclusive Breast Milk Feeding Rate uses the Joint Commission National Quality Measure PC-05. For more information, please visit the following link by copying and pasting the URL into your web browser: <https://manual.jointcommission.org/releases/TJC2024B/MIF0170.html>

Number of newborn cases that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

Suppressed

Total number of newborn cases born in the hospital that meet the inclusion and exclusion criteria

Suppressed

Rate of newborn cases per 100 that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

Suppressed

Table 9. Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	Suppressed	Suppressed	Suppressed
Native Hawaiian or Pacific			
White	Suppressed	Suppressed	Suppressed

Age	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Age < 18	Suppressed	Suppressed	Suppressed
Age 18 to 29	Suppressed	Suppressed	Suppressed
Age 30 to 39	Suppressed	Suppressed	Suppressed
Age 40 Years and Older	Suppressed	Suppressed	Suppressed

Sex assigned at birth	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Female			
Male			
Unknown			

Payer Type	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Medicare			
Medicaid	Suppressed	Suppressed	Suppressed
Private			
Self-Pay	Suppressed	Suppressed	Suppressed
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living			

Sexual Orientation	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate

General acute care hospitals are required to report several HCAI All-Cause Unplanned 30-Day Hospital Readmission Rates, which are broadly defined as the percentage of hospital-level, unplanned, all-cause readmissions after admission for eligible conditions within 30 days of hospital discharge for patients aged 18 years and older. These rates are first stratified based on any eligible condition, mental health disorders, substance use disorders, co-occurring disorders, and no behavioral health diagnosis. Then, each condition-stratified hospital readmission rate is further stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information on the HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate, please visit the following link by copying and pasting the URL into your web browser:

https://hcai.ca.gov/wp-content/uploads/2024/10/HCAI-All-Cause-Readmission-Rate-Exclusions_ADA.pdf

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate – Any Eligible Condition

Number of inpatient hospital admissions which occurs within 30 days of the discharge date of an eligible index admission and were 18 years or older at time of admission

875

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

4591

Rate of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older

19.1

Table 10. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for any eligible condition by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed
Asian	26	175	14.9
Black or African American	246	1019	24.1
Hispanic or Latino	464	2623	17.7
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed
White	103	564	18.3

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	86	645	13.4
Age 35 to 49	75	437	14.2
Age 50 to 64	137	687	19.9
Age 65 Years and Older	577	2825	20.4

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	464	2416	19.2
Male	411	2175	18.9
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	440	2211	19.9
Medicaid	404	2059	19.6
Private	21	236	8.9
Self-Pay	Suppressed	Suppressed	Suppressed
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	629	3173	19.8
Spanish Language	243	1374	17.7
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages	Suppressed	Suppressed	Suppressed
American Sign Language			
Other/Unknown Languages	Suppressed	Suppressed	Suppressed

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Mental Health Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for mental health disorders and were 18 years or older at time of admission

Suppressed

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

Suppressed

Rate of hospital-level, unplanned, all-cause readmissions after admission for mental health disorders within 30 days of hospital discharge for patients aged 18 and older

Suppressed

Table 11. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for mental health disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed
White	Suppressed	Suppressed	Suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	Suppressed	Suppressed	Suppressed
Age 35 to 49	Suppressed	Suppressed	Suppressed
Age 50 to 64	Suppressed	Suppressed	Suppressed
Age 65 Years and Older	Suppressed	Suppressed	Suppressed

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay	Suppressed	Suppressed	Suppressed
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages	Suppressed	Suppressed	Suppressed

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Substance Use Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for substance use disorders and were 18 years or older at time of admission

Suppressed

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

Suppressed

Rate of hospital-level, unplanned, all-cause readmissions after admission for substance use disorders within 30 days of hospital discharge for patients aged 18 and older

Suppressed

Table 12. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for substance use disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander			
White	Suppressed	Suppressed	Suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	Suppressed	Suppressed	Suppressed
Age 35 to 49	Suppressed	Suppressed	Suppressed
Age 50 to 64	Suppressed	Suppressed	Suppressed
Age 65 Years and Older	Suppressed	Suppressed	Suppressed

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay	Suppressed	Suppressed	Suppressed
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages	Suppressed	Suppressed	Suppressed

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Co-occurring disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for co-occurring disorders and were 18 years or older at time of admission

Suppressed

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

Suppressed

Rate of hospital-level, unplanned, all-cause readmissions after admission for co-occurring disorders within 30 days of hospital discharge for patients aged 18 and older

Suppressed

Table 13. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for co-occurring disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander			
White	Suppressed	Suppressed	Suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	Suppressed	Suppressed	Suppressed
Age 35 to 49	Suppressed	Suppressed	Suppressed
Age 50 to 64	Suppressed	Suppressed	Suppressed
Age 65 Years and Older	Suppressed	Suppressed	Suppressed

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay	Suppressed	Suppressed	Suppressed
Other			

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages	Suppressed	Suppressed	Suppressed

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - No Behavioral Health Diagnosis

Number of inpatient hospital admissions which occurs within 30 days of the discharge date with no behavioral diagnosis and were 18 years or older at time of admission

Suppressed

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

Suppressed

Rate of hospital-level, unplanned, all-cause readmissions after admission with no behavioral diagnosis within 30 days of hospital discharge for patients aged 18 and older

Suppressed

Table 14. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate with No Behavioral Diagnosis by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native	Suppressed	Suppressed	Suppressed
Asian	Suppressed	Suppressed	Suppressed
Black or African American	Suppressed	Suppressed	Suppressed
Hispanic or Latino	Suppressed	Suppressed	Suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander	Suppressed	Suppressed	Suppressed
White	Suppressed	Suppressed	Suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	Suppressed	Suppressed	Suppressed
Age 35 to 49	Suppressed	Suppressed	Suppressed
Age 50 to 64	Suppressed	Suppressed	Suppressed
Age 65 Years and Older	Suppressed	Suppressed	Suppressed

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	Suppressed	Suppressed	Suppressed
Male	Suppressed	Suppressed	Suppressed
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	Suppressed	Suppressed	Suppressed
Medicaid	Suppressed	Suppressed	Suppressed
Private	Suppressed	Suppressed	Suppressed
Self-Pay	Suppressed	Suppressed	Suppressed
Other	Suppressed	Suppressed	Suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	Suppressed	Suppressed	Suppressed
Spanish Language	Suppressed	Suppressed	Suppressed
Asian Pacific Islander Languages	Suppressed	Suppressed	Suppressed
Middle Eastern Languages	Suppressed	Suppressed	Suppressed
American Sign Language			
Other/Unknown Languages	Suppressed	Suppressed	Suppressed

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

Health Equity Plan

All general acute care hospitals report a health equity plan that identifies the top 10 disparities and a written plan to address them.

Top 10 Disparities

Disparities for each hospital equity measure are identified by comparing the rate ratios by stratification groups. Rate ratios are calculated differently for measures with preferred low rates and those with preferred high rates. Rate ratios are calculated after applying the California Health and Human Services Agency's "Data De-Identification Guidelines (DDG)," dated September 23, 2016.

Table 15. Top 10 disparities and their rate ratio values.

Measures	Stratifications	Stratification Group	Stratification Rate	Reference Group	Reference Rate	Rate Ratio
Agency for Healthcare Research and Quality (AHRQ) Quality Indicator Pneumonia Mortality	Expected Payor	Medicare	86.1	Medicaid	36.5	2.4
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Expected Payor	Medicare	19.9	Private	8.9	2.2
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Expected Payor	Medicaid	19.6	Private	8.9	2.2
Agency for Healthcare Research and Quality (AHRQ) Quality Indicator Pneumonia Mortality	Sex Assigned at Birth	Male	78.8	Female	49	1.6
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Race and/or Ethnicity	Black or African American	24.1	Asian	14.9	1.6
Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey: Would recommend hospital.	Race and/or Ethnicity	White	59.9	Hispanic or Latino	83.8	1.4
Agency for Healthcare Research and Quality (AHRQ) Quality Indicator Pneumonia Mortality	Race and/or Ethnicity	Black or African American	74.1	Hispanic or Latino	56.7	1.3
Agency for Healthcare Research and Quality (AHRQ) Quality Indicator Pneumonia Mortality	Race and/or Ethnicity	White	72.4	Hispanic or Latino	56.7	1.3

Plan to address disparities identified in the data

The health system will address the eight identified disparities through a coordinated, evidence-based improvement strategy that strengthens clinical quality, enhances patient experience, and ensures equitable outcomes across all demographic groups. To improve person-centered care, the system will reinforce standardized communication practices, expand culturally responsive engagement training, and increase the use of teach-back and clear, plain-language education for all patients. To reduce disparities in pneumonia and surgical mortality, the system will implement unified clinical pathways, enhance early-warning and escalation protocols, and ensure consistent adherence to evidence-based sepsis and pneumonia bundles. To address elevated readmission rates among specific racial/ethnic groups and payer populations, the system will expand risk-stratified care coordination, increase pharmacist-involved medication reconciliation, strengthen follow-up appointment workflows, and integrate social needs screening and community-based supports. Through measurable objectives, routine performance monitoring, transparent data stratification, and cross-functional accountability, the system will drive equitable improvements in patient experience, reduce preventable mortality and readmissions, and ensure that all patients receive safe, effective, and equitable care regardless of race, language, age, sex, or payer group.

Performance in the priority area

General acute care hospitals are required to provide hospital equity plans that address the top 10 disparities by identifying population impact and providing measurable objectives and specific timeframes. For each disparity, hospital equity plans will address performance across priority areas: person-centered care, patient safety, addressing patient social drivers of health, effective treatment, care coordination, and access to care.

Person-centered care

The disparities in HCAHPS “Would Recommend Hospital” scores—particularly among White patients compared with Hispanic/Latino patients, and English-preferring patients compared with Spanish-preferring patients—highlight systemwide opportunities to strengthen person-centered care. These gaps suggest inconsistent delivery of clear communication, empathy, and responsiveness across demographic groups. They also point to variation in service recovery, care plan transparency, and cultural responsiveness. Addressing these disparities will require reinforcing standardized communication practices, expanding staff training in culturally aligned engagement, enhancing transparency around care processes, and ensuring that all patients experience consistent, respectful, and patient-centered interactions across every hospital in the system.

Patient safety

Systemwide disparities in pneumonia mortality and surgical complication mortality reflect critical patient safety vulnerabilities. Higher mortality among male patients, Black/African American and White patients, and those covered by Medicare indicates gaps in early detection of clinical deterioration, escalation of care, and consistent use of evidence-based pathways. These findings underscore the need for systemwide adoption of standardized sepsis and pneumonia bundles, improved post-operative monitoring protocols, and strengthened rapid-response activation criteria. Reducing these disparities is essential not only for improving safety outcomes but also for mitigating preventable harm and ensuring high-reliability performance across all hospitals.

Addressing patient social drivers of health

The disparities identified—especially higher pneumonia mortality among Medicare patients and elevated readmission rates among Medicaid and Black/African American patients—highlight the substantial influence of social drivers of health on clinical outcomes. Patients facing challenges such as transportation barriers, inconsistent access to primary or specialty care, medication affordability issues, limited caregiver support, and chronic disease burden experience disproportionate risks of poor outcomes. Systemwide expansion of SDOH screening, resource referral pathways, community partnerships, and navigation support will be critical to addressing these underlying drivers and ensuring that vulnerable populations receive the support necessary to maintain health following hospitalization.

Performance in the priority area continued

Performance across all of the following priority areas.

Effective treatment

Differences in pneumonia mortality, surgical complication mortality, and readmission rates across sex, race/ethnicity, and payer groups point to variability in treatment effectiveness and consistency across the system. These disparities suggest opportunities to strengthen adherence to evidence-based care pathways, improve recognition and escalation of clinical deterioration, and ensure that all patients receive complete, comprehensible guidance on medication regimens and follow-up care. Enhancing clinical decision support, integrating pharmacists into transitions of care, and standardizing chronic disease management protocols will help ensure treatment outcomes are reliable, equitable, and aligned with best practices.

Care coordination

The concentration of readmission disparities across multiple race/ethnicity and payer groups—including Black/African American, Hispanic/Latino, Medicare, and Medicaid populations—underscores systemic challenges in care coordination and transitions. Gaps in scheduling post-discharge appointments, incomplete follow-up outreach, variable discharge summaries, and inconsistent communication between inpatient and outpatient providers contribute to fragmented

care. Strengthening a unified systemwide care coordination model—including proactive discharge planning, early follow-up scheduling, targeted outreach for high-risk populations, and integrated social work and pharmacy involvement—will be essential to improving continuity and reducing preventable readmissions.

Access to care

Although access was not directly measured in the disparities, readmission and mortality patterns strongly indicate access challenges for Medicare and Medicaid patients, as well as for certain racial and ethnic groups. These challenges include delays in obtaining appropriate post-acute care, limited primary care availability, transportation difficulties, and inconsistent digital or telehealth engagement. Improving access will require expanding care navigation support, improving appointment availability, enhancing transportation solutions, and strengthening partnerships with community providers.

Addressing these barriers will improve continuity, reduce avoidable utilization, and promote equitable outcomes across the system.

Methodology Guidelines

Did the hospital follow the methodology in the Measures Submission Guide? (Y/N)

N